

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.67

LIBRARY
RECEIVED

SEP 30 1948

U. S. Department of Agriculture

WHOLESALE
TRADE LIST

EVERGREEN NURSERIES

FALL, 1948

SPRING, 1949



The Kallay Bros. Co.

Painesville, Ohio

Office: Cor. Madison Ave. and Bowhall Rd.

Phone 5662

For Nurserymen, Florists, Dealers
and Landscape Architects

Conditions of Sale

Prices herein listed cancel all previous lists, and are subject to change without notice.

Terms

Prices herein listed are F. O. B. NURSERY AT PAINESVILLE, OHIO. To those with established record for promptness or with satisfactory references, we shall be pleased to extend our regular terms of 30 days from date of invoice. Two per cent (2%) discount will be allowed if paid within ten (10) days, or three (3%) per cent discount for cash in full with order. All orders for C. O. D. shipments must be accompanied by at least one-third (1/3) of the amount of the order so as to insure acceptance upon arrival.

Price Quotations

PRICE QUOTATIONS are made for immediate acceptance, subject to prior sale, and to stenographic, typographical errors, or omissions.

Guarantee of Genuineness

We cannot guarantee any trees, shrubs and plants sold by us, other than that they are true to name, and free from any injurious insects or disease, and hold ourselves prepared to replace, on proper proof, all that may prove to be otherwise. Any and all such trees, shrubs and plants are sold upon the express condition and understanding that should any of them prove to be otherwise, we shall not be held responsible for a greater amount than the original price paid, and all orders booked are based on the distinct understanding that the purchaser agrees to the conditions as herein outlined.

Claims

All orders accepted by us are booked on conditions that they shall be void should injury befall the stock from frost, fire, hail storm or other causes of whatsoever nature over which we have no control. All claims of whatsoever nature must be made within 10 days after receipt of the stock. Claims should be made promptly within the time limit specified, and in writing.

Plants become your property upon delivery to the transportation company, and we cannot be responsible for loss, damage, or delay in transit.

TRADE CONDITIONS

Carloading

We have a railroad siding on our own property and are equipped to load cars to all points promptly and without unnecessary extra handling of stock.

Explanatory Notes

Figures following names throughout this list indicate in feet the approximate height of the plant at maturity.

The botanical and common names herein used are in conformity with the "Standardized Plant Names" which is the accepted authority on the plant nomenclature in the horticultural industry.

Our grading standards are based on a schedule which has been accepted and adopted by the American Association of Nurserymen.

Balling of Deciduous Stock

All items herein listed "B. & B." will be balled and burlapped and the cost thereof is included in the prices herein listed.

Deciduous stock listed bare roots may be balled at the option of the purchaser, and a schedule of cost of balling such deciduous stock will be found on Page 72.

Packing Costs

When L. C. L. orders are placed for shipment by common carrier, there will be an additional charge for packing. A schedule of packing prices will be found on Page 72.

**THE KALLAY BROS. CO.
PAINESVILLE, OHIO**

For the benefit of the amateur planter, and those who care to follow these suggestions, we indicate herein, after, the name of each item of woody plant material, the type of soil, PH content of the soil, and exposure of the plant to sun and shade necessary for the best and lasting result and satisfaction.

Each	Each	Each
1-4	5-24	25-up

ABELIA

—**grandiflora.** 3ft. (Glossy Abelia) Light, peaty, moist PH 6.0-7.5, sun-partial shade.

15 to 18 in. B&B	\$1.25	1.15	1.00
18 to 24 in. B&B	1.50	1.35	1.25
2 to 3 ft. B&B	2.00	1.75	1.50

ABIES

—**balsamea.** 40 ft. (Balsam Fir) Loam, moist, PH 5.0-6.5, sun.

15 to 18 in. B&B	1.50	1.25
------------------------	------	------

—**concolor.** 50 ft. (White Fir) Loam, moist, PH 5.5-6.5, sun.

5 to 6 ft. B&B	9.00	8.00
6 to 7 ft. B&B	11.00	10.00
7 to 8 ft. B&B	15.00	12.50
8 to 10 ft. B&B	20.00	17.50

—**douglasi.** (See Pseudotsuga douglasi)

ACANTHOPanax

—**pentaphyllum.** 8 ft. (Five Leaf Aralia) Sandy to silty loam, moist, PH 5.5-7.5, sun-shade.

18 to 24 in.35	.30	.25
2 to 3 ft.40	.35	.30
3 to 4 ft.45	.40	.35
4 to 5 ft.60	.55	.50

ACER

—**dasycarpum (saccharinum)** 60 ft. (Silver Maple) Sandy to clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	1.25	1.15	1.00
8 to 10 ft.	1.50	1.35	1.25
1½ to 1½ in.	2.00	1.75	1.50
1½ to 1¾ in.	2.25	2.00	1.75
1¾ to 2 in.	3.00	2.75	2.50
2 to 2½ in.	3.50	3.25	3.00
2½ to 3 in.	6.00	5.50	5.00
3 to 3½ in.	8.00	7.50	7.00
3½ to 4 in.	10.00	9.00	8.00
4 to 5 in.	15.00	12.00	
5 to 6 in., price on request			

—**dasycarpum wieri.** 75 ft. (wier cut leaf maple) Sandy to clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	2.00	1.75
8 to 10 ft.	2.50	2.25

—**ginnala.** 15 ft. (Amur Maple) Good loam, moist, PH 6.0-7.5, sun-partial shade.

2 to 3 ft.60	.50
3 to 4 ft.75	.65

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

ACER — Continued

—***negundo***. 60 ft. (Box Elder) Sandy to clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	1.25	1.00
8 to 10 ft.	1.75	1.50

—***palmatum***. 12 ft. (Greenleaf Japanese Maple) Silty clay loam, moist, PH 6.0-7.5, sun-partial shade.

4 to 5 ft. B&B	3.50	3.00
5 to 6 ft. B&B	4.50	4.00
6 to 8 ft. B&B	6.50	6.00

—***palmatum atropurpureum***. 10 ft. (Redleaf Japanese Maple) Silty clay loam, moist, PH 6.0-7.5, sun for best color.

4 to 5 ft. B&B	10.00	9.00
5 to 6 ft. B&B Heavy	15.00	12.50
6 to 8 ft. B&B Heavy	20.00	17.50

—***pennsylvanicum***. 20 ft. (Striped Maple) Woodsy loam, moist, PH 5.0-6.5, partial shade.

6 to 8 ft.	4.00	3.50
8 to 10 ft.	5.00	4.50

—***platanoides***. 50 ft. (Norway Maple) Silty to clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	2.00	1.75	1.50
8 to 10 ft.	2.50	2.25	2.00
1½ to 1½ in.	3.00	2.75	2.50
1½ to 1¾ in.	3.50	3.25	3.00
1¾ to 2 in.	4.50	4.25	4.00
2 to 2½ in.	6.00	5.50	5.00
2½ to 3 in.	8.00	7.50	7.00
3 to 3½ in.	10.00	9.50	9.00
3½ to 4 in.	15.00	13.00	

—***platanoides schwedleri***. 50 ft. (Schwedler Maple) Silty to clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	3.50	3.25	3.00
8 to 10 ft.	4.00	3.50	
3 to 3½ in.	17.50	15.00	
3½ to 4 in.	22.50	20.00	
4 to 5 in.	30.00	25.00	

—***rubrum***. 50 ft. (Red Maple) Medium silty loam, moist, PH 6.0-7.5, sun.

1¼ to 1½ in.	3.50	3.25	3.00
1½ to 1¾ in.	4.50	4.25	4.00
1¾ to 2 in.	6.00	5.50	5.00
2 to 2½ in.	8.00	7.50	7.00
2½ to 3 in.	10.00	9.00	8.00
3 to 3½ in.	11.00	10.00	
3½ to 4 in.	17.50	15.00	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

ACER — Continued

—*saccharum*. 60 ft. (Sugar or Rock Maple) Medium loam, well drained, PH 6.0-7.5, sun.

6 to 8 ft.	2.50	2.25	2.00
8 to 10 ft.	3.00	2.75	2.50
1½ to 1½ in.	3.75	3.50	3.25
1½ to 1¾ in.	4.50	4.25	4.00
1¾ to 2 in.	6.00	5.50	5.00
2 to 2½ in.	7.00	6.50	6.00
2½ to 3 in.	9.00	8.50	8.00
3 to 3½ in.	11.00	10.50	10.00
3½ to 4 in.	17.50	15.00	
4 to 5 in.	25.00	20.00	
5 to 6 in., price on request			

—*tataricum*. 15 ft. (Tatarian Maple) Good, moist, loam, PH 6.0-7.5, sun.

5 to 6 ft.	1.50	1.25
6 to 8 ft.	2.25	2.00

AESCRULUS

—*carnea*. 40 ft. (Red Flowering Horsechestnut) Sandy to silty loam, moist, PH 6.0-7.0, sun.

5 to 6 ft.	6.50	6.00
6 to 8 ft.	12.00	10.00
2 to 2½ in.	25.00	20.00
2½ to 3 in.	30.00	25.00
3 to 3½ in.	35.00	30.00

—*hippocastanum*. 40 ft. (Horsechestnut) Sandy to silty loam, moist, PH 6.0-7.5, sun.

3 to 4 ft.	2.00	1.50
4 to 5 ft.	2.50	2.00
5 to 6 ft.	3.00	2.50
6 to 8 ft.	3.50	3.00
1½ to 2 in.	6.50	6.00
2 to 2½ in.	8.00	7.00

—*octandra*. 60 ft. (Yellow Buckeye) Sandy to silty loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	3.00	2.50
8 to 10 ft.	4.00	3.50
1½ to 1½ in.	5.00	4.50

—*pavia*. 30 ft. (Red Buckeye) Sandy to silty loam, moist, PH 6.0-7.0, sun.

3 to 4 ft.	4.50	4.00
4 to 5 ft.	6.00	5.00
5 to 6 ft.	6.50	6.00
6 to 8 ft.	8.00	7.00

AILANTHUS

—*altissima*. (*glandulosa*) 40 ft. (Tree of Heaven) Sandy to clay loam, dry-moist, PH 6.0-7.0, sun.

6 to 8 ft.	1.75	1.50
8 to 10 ft.	2.25	2.00
1½ to 2 in.	3.50	3.00
2 to 2½ in.	4.50	4.00
2½ to 3 in.	6.00	5.50
3 to 3½ in.	7.00	6.50
3½ to 4 in.	9.00	8.00

		Each 1-4	Each 5-24	Each 25-up
AKEBIA				
— <i>quinata</i> .	15 ft. (Fiveleaf Akebia)	Sandy loam, well drained, moist, PH 6.0-7.5, partial shade.		
2 year		.40	.35	
3 year		.60	.50	

ALNUS				
— <i>glutinosa</i> .	50 ft. (European Alder)	Medium loam, moist, PH 5.5-7.0, sun, tolerates wet soil.		
5 to 6 ft.		2.00	1.50	
6 to 8 ft.		2.50	2.00	
— <i>incana</i> .	50 ft. (Speckled Alder)	Medium loam, moist, PH 5.5-6.5, partial shade, stands wet soil.		
5 to 6 ft.		2.00	1.50	
6 to 8 ft.		2.50	2.00	
8 to 10 ft.		3.00	2.50	
1½ to 1½ in.		3.50	3.00	

ALTHEA — See Hibiscus

AMELANCHIER				
— <i>alnifolia</i> .	7 ft. (Saskatoon)	Woodsy loam, moist, PH 5.5-7.0, sun, or partial shade.		
2 to 3 ft.		.90	.80	.70
3 to 4 ft.		1.50	1.25	
4 to 5 ft.		1.75	1.50	
— <i>canadensis</i> .	30 ft. (Downy Shadblow)	Woodsy loam, moist, PH 5.0-6.0, sun or partial shade.		
5 to 6 ft.		2.00	1.50	
6 to 8 ft.		3.50	3.00	
— <i>stolonifera</i> .	3 ft. (Running Shadblow)	Medium loam, moist, PH 6.0-7.5, sun or partial shade, good for underplanting.		
18 to 24 in.		.50	.45	.40
2 to 3 ft.		.60	.55	.50
3 to 4 ft.		.75	.70	.65

AMORPHA				
— <i>canescens</i> .	2 ft. (Lead Plant)	Sandy to loam, moist, PH 6.0-7.5, sun, well drained soil.		
12 to 15 in.		.40	.35	
15 to 18 in.		.45	.40	
18 to 24 in.		.60	.50	
— <i>fruticosa</i> .	10 ft. (Indigobush)	Sandy to loam, moist, PH 6.0-7.5, sun, well drained soil.		
2 to 3 ft.		.45	.40	.35
3 to 4 ft.		.50	.45	.40
4 to 5 ft.		.55	.50	.45
5 to 6 ft.		.80	.70	.60

AMPELOPSIS				
— <i>brevi</i> .	<i>maxomowiczi</i> .	25 ft. (Procelain Ampelopsis Medium loam, dry-moist, PH 6.0-7.5, sun or part shade.		
2 year		.50	.45	.40
3 year		.60	.55	.50

AMYGDALUS — see *prunus persica*
AMPELOPSIS — see *Parthenocissus*

ARALIA				
— <i>spinosa</i> .	20 ft. (Hercules Club)	Sandy to silty loam, dry-moist, PH 6.0-7.5, sun or part shade.		
5 to 6 ft.		1.00	.90	.80
6 to 8 ft.		1.50	1.35	1.25
8 to 10 ft.		2.25	2.00	

		Each 1-4	Each 5-24	Each 25-up
ARONIA. <i>Pyrus</i>				
— <i>arbutifolia</i> .	6 ft. (Red Chokeberry) Medium loam, moist or well drained, PH 5.0-6.5, sun or part shade.			
18 to 24 in.		.35	.30	.25
2 to 3 ft.		.50	.45	.40
3 to 4 ft.		.55	.50	.45
4 to 5 ft.		.60	.55	.50
5 to 6 ft.		.80	.75	.65
— <i>atropurpurea</i> .	6 ft. (Purple Chokeberry) Medium loam, moist, PH 5.0-6.5, moist, well drained soil.			
2 to 3 ft.		.50	.45	.40
3 to 4 ft.		.55	.50	.45
4 to 5 ft.		.60	.55	.50
— <i>brilliantissima</i> .	6 ft. (Brilliant Chokeberry) Medium loam, moist, PH 5.0-6.5, sun or part shade, well drained soil.			
2 to 3 ft.		.50	.45	.40
3 to 4 ft.		.55	.50	.45
4 to 5 ft.		.60	.55	
— <i>melanocarpa</i> .	8 ft. (Black Chokeberry) Medium loam, dry or moist, PH 5.0-6.5, sun or part shade.			
2 to 3 ft.		.50	.45	.40
3 to 4 ft.		.55	.50	.45
4 to 5 ft.		.60	.55	.50
— <i>melanocarpa elata</i> .	8 ft. (Glossy Chokeberry) Medium loam, dry or moist, PH 5.0-6.5, sun or part shade.			
2 to 3 ft.		.50	.45	.40
3 to 4 ft.		.55	.50	.45
AZALEA				
— <i>calendulacea</i> .	8 ft. (Flame Azalea) Woodsy loam, moist-drained, PH 4.5-5.5, sun or light shade, acid high organic.			
18 to 24 in. B&B		3.50	3.00	
2 to 3 ft. B&B		4.50	4.00	
— <i>canescens roseum</i> .	6 ft. (Pink) Woodsy loam, moist-drained, PH 4.5-5.5, sun, acid high organic.			
18 to 24 in. B&B		3.50	3.00	
2 to 3 ft. B&B		4.50	4.00	
— <i>kaempferi</i> .	5 ft. (Torch Azalea) Woodsy loam, moist, drained, PH 4.5-6.0.			
9 to 12 in. B&B		2.00	1.75	
12 to 15 in. B&B		2.50	2.25	
15 to 18 in. B&B		3.25	3.00	
— <i>mollis — red and pink</i> .	3 ft. (Chinese Azalea) Woodsy loam, moist-drained, PH 4.5-6.5, sun, acid high organic.			
9 to 12 in. B&B		1.25	1.15	1.00
12 to 15 in. B&B		2.25	2.00	1.75
15 to 18 in. B&B		2.75	2.50	2.25
18 to 24 in. B&B		3.50	3.25	3.00
— <i>pontica</i> (Yellow Azalea)	Woodsy loam, moist, drained, PH 4.5-5.5, sun or light shade, acid high organic.			
10 to 12 in. B&B		1.25	1.15	1.00
12 to 15 in. B&B		2.25	2.00	1.75
15 to 18 in. B&B		2.75	2.50	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

AZALEA — Continued

—*nudiflora*. 6 ft. (Pinxterbloom). Woodsy loam, moist-drained, PH 4.5-5.5, sun or part shade, acid high organic.

18 to 24 in. B&B	3.50	3.00
2 to 3 ft. B&B	4.50	4.00

BENZOIN — see Lindera

	Each 1-24	Each 25-249	Each 250-up
--	--------------	----------------	----------------

BERBERIS

—*mentorensis*. 6 ft. (Mentor Barberry) semi-evergreen sandy to clay loam, PH 6.0-7.5, sun or part shade.

12 to 15 in.35	.30
15 to 18 in.50	.40
18 to 24 in.60	.50

—*thunbergi*. 5 ft. (Japanese Barberry) Sandy to clay loam, moist, PH 6.0-7.5, sun or part shade.

12 to 15 in.15	.13	.12
15 to 18 in.20	.17	.15
18 to 24 in.25	.22	.20
24 to 30 in.30	.27	.25
30 to 36 in.45	.40	.35

—*thunbergi atropurpurea*. 5 ft. (Red Japanese Barberry) Sandy to clay loam, moist, PH 6.0-7.5, sun for best color.

12 to 15 in.25	.22	.20
15 to 18 in.30	.27	.25
18 to 24 in.35	.32	.30
24 to 30 in.45	.40	.35

—*thunbergi minor*. 3 ft. (Box Barberry) Sandy to clay loam, moist, PH 6.0-7.5, sun or part shade.

9 to 12 in.30	.25
12 to 15 in.35	.30
15 to 18 in.40	.35

BETULA

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

—*lenta*. 40 ft. (Sweet Birch) Good medium loam, moist, PH 5.0-7.0, sun or part shade.

4 to 5 ft.	1.25	1.00
5 to 6 ft.	1.75	1.50

—*lutea*. 40 ft. (Yellow Birch) Good, Medium loam, moist, PH 5.0-7.0, sun or part shade, tolerant to wet soil.

8 to 10 ft.	2.25	2.00
1 1/4 to 1 1/2 in.	3.00	2.75
1 1/2 to 1 3/4 in.	4.50	4.00

—*pendula (alba)*. 40 ft. (European White Birch) Sandy loam, dry-moist, PH 5.0-6.5, sun or part shade.

6 to 8 ft.	2.00	1.75	1.50
8 to 10 ft.	2.50	2.25	2.00
1 1/4 to 1 1/2 in.	2.75	2.50	2.25
1 1/2 to 1 3/4 in.	3.00	2.75	2.50
1 3/4 to 2 in.	3.50	3.00	
2 to 2 1/2 in.	5.00	4.50	
2 1/2 to 3 in.	8.00	7.00	
3 to 3 1/2 in.	12.00	10.00	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

BETULA — Continued

—**P. lacinata.** 40 ft. (Cut Leaf Weeping Birch) Sandy loam, dry-moist, PH 5.0-6.5, sun-part shade.

6 to 8 ft.	3.00	2.50
-----------------	------	------

—**nigra.** Multiple Stems. Good, medium loam, moist, PH 5.0-7.0, sun or part shade, tolerant to wet soil.

4 to 5 ft.	1.25	1.00
5 to 6 ft.	1.75	1.50
6 to 8 ft.	2.50	2.00

—**papyrifera.** 50 ft. (Canoe Birch) Good loam, moist, PH 5.0-6.5, sun or part shade, good moist soil.

6 to 8 ft.	2.50	2.00
8 to 10 ft.	3.00	2.50
1½ to 1½ in.	3.50	3.00
1½ to 1¾ in.	4.00	3.50
1¾ to 2 in.	5.00	4.50
2 to 2½ in.	6.50	6.00
2½ to 3 in.	9.00	8.00

BIGNONIA — (see Campsis)**BUDDLEIA** — (Butterfly Bush)

—**alternifolia** (Lilac-purple) Sandy loam, moist, well drained, PH 6.0-7.5, sun.

3 year45	.40
-------------	-----	-----

—**charming.** (Bright Pink) Sandy loam, moist, well drained, PH 6.0-7.5, sun.

2 year35	.30	.25
-------------	-----	-----	-----

—**concord.** (Reddish Blue) Sandy loam, moist, well-drained, PH 6.0-7.5, sun.

2 year35	.30	.25
-------------	-----	-----	-----

—**dubonnet.** (Wine Red) Sandy loam, moist, well-drained, PH 6.0-7.5, sun.

2 year35	.30	.25
-------------	-----	-----	-----

—**eleanor.** (Blue, Orange Eye) Sandy loam, moist, well-drained, PH 6.0-7.5, sun.

2 year35	.30	.25
-------------	-----	-----	-----

—**ile de france.** (Claret-Purple) Sandy loam, moist, well-drained, PH 6.0-7.5, sun.

2 year35	.30	.25
-------------	-----	-----	-----

—**royal red.** Sandy loam, moist, well drained, PH 6.0-7.5, sun.

2 year50	.40	.35
-------------	-----	-----	-----

—**white beauty.** Sandy loam, moist, well drained, PH 6.0-7.5, sun.

2 year50	.40	.35
-------------	-----	-----	-----

		Each 1-4	Each 5-24	Each 25-up
BUXUS				
— <i>sempervieriens</i> .	12 ft. (Boxwood) unsheared. Rich, medium loam, moist, well-drained, PH 6.0-7.5, sun, part shade.			
12 to 15 in. B&B		2.00	1.75	1.50
CALLICARPA				
— <i>americana</i> .	6 ft. (American Beautyberry) Medium loam, moist, PH 6.0-7.5, sun.			
18 to 24 in.		.35	.30	
2 to 3 ft.		.45	.40	
— <i>dichotoma (purpurea)</i>	4 ft. (Chinese Beautyberry) Medium loam, moist, PH 6.0-7.5, sun.			
18 to 24 in.		.35	.30	
2 to 3 ft.		.45	.40	
CALYCANTHUS				
— <i>floridus</i> .	5 ft. (Strawberry Shrub) Medium loam, moist, PH 6.0-7.5, sun or light shade, tolerant to wet soil.			
15 to 18 in.		.35	.30	
18 to 24 in.		.50	.45	.40
2 to 3 ft.		.55	.50	.45
3 to 4 ft.		.60	.50	
CAMPsis				
— <i>grandiflora</i> .	20 ft. (Chinese Trumpetcreeper) Rich silty to clay loam, dry-moist, PH 6.0-7.5, sun.			
2 year		.50	.40	
— <i>radicans</i> .	25 ft. (Trumpetcreeper) Sandy to silty clay loam, dry-moist, PH 6.0-7.5, sun or part shade.			
2 year No. 1, \$150.00 per M		.25	.22	.18
3 year No. 1, \$180.00 per M		.30	.25	.20
CARAGANA				
— <i>arborescens</i> .	12 ft. (Siberian Peashrub) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun or shade.			
2 to 3 ft.		.40	.35	.30
3 to 4 ft.		.50	.45	.40
4 to 5 ft.		.60	.55	.50
5 to 6 ft.		.70	.65	.60
6 to 8 ft.		1.00	.90	.80
CARPINUS				
— <i>betulus fastigiata</i> .	40 ft. (Pyramidal European Hornbeam) Medium loam, moist, PH 6.0-7.5, sun or shade.			
5 to 6 ft. B&B		12.00	10.00	
6 to 8 ft. B&B		17.50	15.00	
— <i>carolineana</i> .	35 ft. (American Hornbeam) Medium loam, moist, PH 6.0-7.5, sun or shade.			
3 to 4 ft. B&B		4.00	3.50	3.00
4 to 5 ft. B&B		4.50	4.25	4.00
5 to 6 ft. B&B		5.50	5.25	5.00
6 to 8 ft. B&B		8.00	7.50	7.00
8 to 10 ft. B&B		12.00	11.00	10.00
1½ to 1¾ in. B&B		15.00	14.00	13.00

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

CASTANEA

—*mollissima* (Chinese Chestnut) Medium loam, moist, PH 5.5-7.0, sun.

2 to 3 ft.	1.50	1.25
3 to 4 ft.	2.00	1.75

CATALPA

—*speciosa*. 35 ft. (Western Catalpa) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun.

6 to 8 ft.	1.50	1.25
8 to 10 ft.	2.00	1.50
1½ to 1¾ in.	2.50	2.00

CELASTRUS

—*orbiculatus*. 15 ft. (Oriental Bittersweet) Medium loam, dry-moist, PH 5.0-7.0, sun or shade.

2 year No. 1	.40	.35	.30
3 year No. 1	.45	.40	.35

—*scandens*. 20 ft. (American Bittersweet) Medium loam, dry-moist, PH 5.0-7.0, sun or shade, fruits best in sun.

2 year No. 1	.40	.35	.30
3 year No. 1	.45	.40	.35

CELTIS

—*occidentalis*. 45 ft. (Hackberry) Sandy to silty clay moist, PH 6.0-7.5, sun, stand poor soil.

5 to 6 ft.	2.00	1.75	1.50
6 to 8 ft.	2.25	2.00	
8 to 10 ft.	3.00	2.50	
1¼ to 1½ in.	4.00	3.50	
1½ to 1¾ in.	5.00	4.50	
1¾ to 2 in.	6.00	5.50	
2 to 2½ in.	7.00	6.00	
2½ to 3 in.	9.00	8.00	
3 to 3½ in.	12.00	11.00	
3½ to 4 in.	17.50	15.00	

CEPHALANTHUS

—*occidentalis*. 6 ft. (Buttonbush) Loam to silty clay moist, PH 6.0-7.5, sun to part shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50

CERCIS

—*canadensis*. 30 ft. (Judas Tree) Medium loam, moist, PH 6.0-7.5, sun or part shade.

2 to 3 ft.	.70	.65	.60
3 to 4 ft.	1.00	.90	.80
4 to 5 ft.	1.75	1.50	
5 to 6 ft.	2.50	2.00	
6 to 8 ft.	3.00	2.50	
8 to 10 ft.	5.00	4.00	
10 to 12 ft.	6.00	5.00	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

CERCIDiphyllum

—*japonicum*. 25 ft. (Katsura Tree) Rich, medium loam, moist, PH 6.0-7.5, sun or part shade.

3 to 4 ft. B&B	4.00	3.50
4 to 5 ft. B&B	6.00	5.50
5 to 6 ft. B&B	8.00	7.00
6 to 8 ft. B&B	12.00	10.00

CHAENOMELES (*Cydonia*)

—*japonica*. 5 ft. (Japan Quince) Sandy to silty clay, moist, well drained, PH 6.0-7.5, sun or part shade.

18 to 24 in.40	.35	.30
2 to 3 ft.50	.45	.40

—*japonica pygmea*. 3 ft. (Dwarf Japan Quince) Sandy to silty clay, moist, well drained, PH 6.0-7.5, sun or part shade.

15 to 18 in.40	.35	.30
18 to 24 in.50	.45	.40
2 to 3 ft.60	.55	.50

—*japonica umbilicata*. 8 ft. (Navel Flowering Quince) Sandy to silty clay, moist, drained, PH 6.0-7.5, sun or part shade.

15 to 18 in.35	.30
18 to 24 in.50	.45

CHIONANTHUS

—*virginica*. 15 ft. (White Fringe) Well drained medium loam, moist, PH 5.0-6.0, sun.

3 to 4 ft.	1.00	.75
4 to 5 ft.	1.50	1.25
5 to 6 ft.	1.75	1.50
6 to 8 ft.	2.50	2.00
8 to 10 ft.	3.50	3.00

CHAMAECYPARIS

—*lawsoniana triomphe de Boskoop* 40 ft. medium loam, well drained, PH 5.5-6.5, sun-partial shade.

2½ to 3 ft. B&B	3.50	3.00
3 to 4 ft. B&B	4.50	4.00

—*nootkatensis*. 65 ft. (Nootka Cypress) medium loam, moist, well drained, PH 5.5-6.5, sun-partial shade.

3 to 4 ft. B&B	4.50	4.00
4 to 5 ft. B&B	6.00	5.50

—*obtusa crippsi*. 8 ft. (Hinoki Cypress) rich, medium loam, moist, well drained, PH 5.5-6.5, sun-partial shade.

2½ to 3 ft. B&B	3.00	2.75	2.50
3 to 4 ft. B&B	4.00	3.75	3.50

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

Chamaecyparis — Continued

—obtusa crippsi aurea. 8 ft. (Golden Hinoki Cypress) rich, medium loam, moist, well drained, PH 5.5-6.5, sun-shade.	2½ to 3 ft. B&B	3.00	2.75	2.50
	3 to 4 ft. B&B	4.00	3.75	
—obtusa gracilis. 10 ft. (Slender Hinoki Cypress) rich, medium loam, moist, well drained, PH 5.5-6.5, sun-part shade.	2½ to 3 ft. B&B	3.00	2.75	2.50
	3 to 4 ft. B&B	4.00	3.75	
—obtusa gracilis aurea. 10 ft. rich, medium loam, moist, well drained, PH 5.5-6.5, sun-partial shade.	2 to 2½ ft. B&B	2.75	2.50	2.25
	2½ to 3 ft. B&B	3.00	2.75	2.50
	3 to 4 ft. B&B	4.00	3.75	
	4 to 5 ft. B&B	4.50	4.00	
—obtusa nana. 5 ft. rich, medium loam, moist, well drained, PH 5.5-6.5, sun-part shade.	2 to 2½ ft. B&B	2.75	2.50	2.25
	2½ to 3 ft. B&B	3.00	2.75	2.50
	3 to 4 ft. B&B	4.00	3.75	
—pistifera. 25 ft. (Sawara Cypress) medium loam moist, well drained, PH 6.0-7.0, sun-partial shade.	18 to 24 in. B&B	2.00	1.75	1.50
	2 to 2½ ft. B&B	2.50	2.25	2.00
	2½ to 3 ft. B&B	3.00	2.75	2.50
	3 to 4 ft. B&B	3.50	3.25	3.00
	4 to 5 ft. B&B	5.00	4.50	4.00
	5 to 6 ft. B&B	7.00	6.50	6.00
—pisifera aurea. 25 ft. (Golden Sawara Cypress) medium loam, moist, well drained, PH 6.0- 7.0, sun-partial shade.	18 to 24 in. B&B	2.00	1.75	1.50
	2 to 2½ ft. B&B	2.50	2.25	2.00
	2½ to 3 ft. B&B	3.00	2.75	2.50
	3 to 4 ft. B&B	3.50	3.25	3.00
	4 to 5 ft. B&B	5.00	4.50	4.00
	5 to 6 ft. B&B	7.00	6.50	6.00
—p. filifera. 10 ft. (Thread Branched Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun- partial shade.	15 to 18 in. B&B	2.00	1.75	1.50
	18 to 24 in. B&B	2.50	2.25	2.00
	2 to 2½ ft. B&B	4.00	3.50	3.00
	2½ to 3 ft. B&B	5.00	4.50	
	3 to 4 ft. B&B	6.00	5.50	
	4 to 5 ft. B&B	8.00	7.00	
—p. filifera aurea. 6 ft. (Golden Thread Branched Cy- press) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.	12 to 15 in. B&B	2.00	1.75	1.50
	15 to 18 in. B&B	2.50	2.25	2.00
	18 to 24 in. B&B	3.00	2.75	2.50
	24 to 30 in. B&B	5.00	4.75	4.50
	30 to 36 in. B&B	6.00	5.50	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

Chamaecyparis — Continued

—**p. filifera aurea variegata.** 8 ft. (Variegated Thread Branched Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.

15	to 18	in. B&B	2.00	1.75
18	to 24	in. B&B	3.00	2.75
2	to 2½ ft.	B&B	5.00	4.50

—**p. plumosa.** 20 ft. (Plume Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.

18	to 24	in. B&B	2.00	1.75	1.50
2	to 2½ ft.	B&B	2.50	2.25	2.00
2½	to 3	ft. B&B	3.00	2.75	2.50
3	to 4	ft. B&B	3.50	3.25	3.00
4	to 5	ft. B&B	5.00	4.50	4.00
5	to 6	ft. B&B	7.00	6.50	6.00

—**p. plumosa aurea.** 18 ft. (Golden Plume Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.

18	to 24	in. B&B	2.00	1.75	1.50
2	to 2½ ft.	B&B	2.50	2.25	2.00
2½	to 3	ft. B&B	3.00	2.75	2.50
3	to 4	ft. B&B	3.50	3.25	3.00
4	to 5	ft. B&B	5.00	4.50	4.00
5	to 6	ft. B&B	7.00	6.50	6.00

—**p. plumosa argentea.** 15 ft. (Silver Tip Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.

15	to 18	in. B&B	2.50	2.00
18	to 24	in. B&B	3.00	2.50
24	to 30	in. B&B	4.00	3.50

—**p. plumosa sulphurea.** 20 ft. (Sulphur Plume Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.

15	to 18	in. B&B	2.50	2.00
18	to 24	in. B&B	3.00	2.50

—**p. squarrosa veitchi.** 20 ft. (Gray Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade.

18	to 24	in. B&B	2.00	1.75	1.50
2	to 2½ ft.	B&B	2.50	2.25	2.00
2½	to 3	ft. B&B	3.00	2.75	2.50
3	to 4	ft. B&B	3.50	3.25	3.00

CLADRASTIS

—**lutea.** 35 ft. (Yellowwood) Medium loam, moist, PH 6.0-7.5, sun, high organic matter.

18	to 24	in.	1.25	1.00
2	to 3	ft.	1.75	1.50
4	to 5	ft. B&B	6.00	5.00

CLEMATIS

—**paniculata.** 20 ft. (Sweet Autumn Clematis) Rich, medium loam, moist, well drained, PH 6.5-7.5, sun or part shade.

2 year Medium	.30	.25	.20
2 year No. 1	.40	.35	.30

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

Clematis — Continued**—hybrids, large flowering**

<i>henryi</i> (Snow-white)70	.60
<i>jackmanni</i> (Violet-blue)70	.80
<i>Mad. Ed. Andre</i> (Wine-red)70	.60

—virginiana. 25 ft. (Virgins-bower) rich, medium loam, moist, well drained, PH 6.5-7.5, sun or part shade.

2 year30	.25
3 year35	.30

CLETHRA**—alnifolia.** 6 ft. (Sweet Pepperbush Bush) Woodsy moist, PH 4.5-5.5, sun or part shade, high organic matter.

18 to 24 in.35	.30	.25
2 to 3 ft.50	.45	.40
3 to 4 ft.60	.50	.45
4 to 5 ft.75	.65	.60

CLERODENDRON**—trichotomum.** 6 ft. (Harlequin) Medium loam, moist, PH 6.0-7.5, sun or slight shade.

3 to 4 ft.	1.00	.85	.75
4 to 5 ft.	1.25	1.10	1.00
5 to 6 ft.	1.50	1.25	

COLUTHEA**—arborescens.** 10 ft. (Bladder Senna) Sandy to clay loam, dry-moist, PH 6.0-7.5, sun.

5 to 6 ft.85	.75
6 to 8 ft.	1.00	.90

COMPTONIA**—peregrina esplenifolia.** 3 ft. (Sweet Fern) Porous sandy loam, dry, PH 5.0-6.0, sun-light shade.

15 to 18 in.50	.45	.40
18 to 24 in.60	.55	.50

CORNUS**—alba elegantissima.** 6 ft. (Silverblotch Dogwood) Medium loam, moist, PH 6.0-7.5, sun.

18 to 24 in.45	.40
2 to 3 ft.60	.55
3 to 4 ft.65	.60
4 to 5 ft.85	.75

—alba sibirica. 8 ft. (Coral Dogwood) Medium loam, moist, PH 6.0-7.5, sun or part shade.

2 to 3 ft.40	.35	.30
3 to 4 ft.45	.40	.35
4 to 5 ft.60	.55	.50
5 to 6 ft.70	.65	.60
6 to 8 ft.	1.00	.90	.75

—alba spaethi. 6 ft. (Golden Leaved Dogwood) Medium loam, moist, PH 6.0-7.5, sun.

18 to 24 in.45	.40	.35
2 to 3 ft.60	.50	
3 to 4 ft.75	.60	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

Cornus — Continued

—amomum. 8 ft. (Silky Dogwood) Medium loam, moist, PH 6.0-7.5, sun or part shade.	.40	.35	.30
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60
—baileyi. 10 ft. (Bailey Dogwood) Medium loam, moist, PH 6.0-7.5, sun or part shade.	.40	.35	.30
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.60	.55	.50
—florida. 20 ft. (White Flowering Dogwood) Good medium loam, moist, well drained, PH 5.0-6.5, sun or part shade.	.40	.35	.30
2 to 3 ft. B&B.....	1.75	1.50	1.25
3 to 4 ft. B&B.....	2.00	1.75	1.50
4 to 5 ft. B&B.....	3.50	3.25	3.00
5 to 6 ft. B&B.....	4.50	4.25	4.00
6 to 8 ft. B&B.....	6.00	5.50	5.00
8 to 10 ft. B&B.....	8.00	7.50	7.00
10 to 12 ft. B&B.....	12.00	10.00	
—florida tree form. Same as above			
2 to 2½ in .B&B	15.00	12.50	
2½ to 3 in. B&B.....	20.00	15.00	
3 to 3½ in. B&B.....	25.00	20.00	
3½ to 4 in. B&B.....	30.00	25.00	
4 to 5 in. B&B.....	40.00	35.00	
—florida rubra. 20 ft. (Red Flowering Dogwood) Good medium loam, moist, well drained, PH 5.0-6.5, sun or part shade.			
2 to 3 ft. B&B.....	3.50	3.00	
3 to 4 ft. B&B.....	4.50	4.00	
5 to 6 ft. B&B.....	5.50	5.25	5.00
6 to 8 ft. B&B.....	9.00	8.00	7.00
8 to 10 ft. B&B.....	12.00	11.00	10.00
—mas. 20 ft. (Cornelian Cherry) Good, medium loam, moist, PH 6.0-7.5, sun or part shade.			
2 to 3 ft.....	.60	.55	.50
3 to 4 ft.....	.90	.80	.70
4 to 5 ft.....	1.25	1.15	1.00
5 to 6 ft.....	2.00	1.75	1.50
6 to 8 ft.....	2.50	2.25	2.00
8 to 10 ft.....	3.50	3.00	
—paniculata. (see <i>racemosa</i>)			
—rasemosa. 12 ft. (Gray Dogwood) Medium loam, moist, PH 6.0-7.5, sun or shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60
6 to 8 ft.....	1.00	.90	.75
—sanguinea. 10 ft. (Bloodtwig Dogwood) Medium loam moist, PH 6.0-7.5, sun or part shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

Cornus — Continued

—*stolonifera*. 10 ft. (Red Osier Dogwood) Medium loam, moist, PH 6.0-7.5, sun or part shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60
6 to 8 ft.	1.00	.90	.75

—*stolonifera flaviramae*. 6 ft. (Golden Twig Dogwood) Medium loam, moist, PH 6.0-7.5, sun.

2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50

CORYLUS

—*america*. 12 ft. (American Hazelnut) Medium loam, moist, PH 6.0-7.0, sun or medium shade.

18 to 24 in.	.45	.40
2 to 3 ft.	.60	.50
6 to 8 ft.	1.25	1.00
8 to 10 ft.	2.00	1.50

—*avellana*. 15 ft. (European filbert) Medium loam, moist, PH 6.0-7.0, medium shade, sun.

15 to 18 in.	.40	.35
18 to 24 in.	.50	.45

COTONEASTER

—*acutifolia*. 12 ft. (Peking Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun.

2 to 3 ft.	.50	.40
3 to 4 ft.	.60	.50

—*adpressa*. 2 ft. (Creeping Cotoneaster) Rich medium loam, moist, PH 6.0-7.5, sun.

10 to 12 in. B&B	1.50	1.25	1.00
12 to 15 in. B&B	2.00	1.75	1.50

—*apiculata*. 5 ft. (Large Red Berries) Rich, medium loam, moist, PH 6.0-7.5, sun or slight shade.

12 to 15 in. B&B	2.00	1.75	1.50
15 to 18 in. B&B	2.50	2.25	2.00

—*bullata*. 6 ft. (Red Berries) Rich, medium loam, moist, PH 6.0-7.5, sun.

2 to 3 ft. B&B	2.00	1.75
3 to 4 ft. B&B	2.25	2.00
4 to 5 ft. B&B	2.75	2.50

—*dielsiana*. 6 ft. (Diel's Cotoneaster) Rich medium loam, moist, PH 6.0-7.5, sun.

2 to 3 ft. B&B	2.00	1.75
3 to 4 ft. B&B	2.50	2.00

—*divericata*. 6 ft. (Spreading Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun or slight shade.

18 to 24 in. B&B	1.75	1.50	1.25
2 to 3 ft. B&B	2.25	2.00	1.75
3 to 4 ft. B&B	2.50	2.25	2.00

—*horizontalis*. 3 ft. (Prostrate Quinceberry) Rich, medium loam, moist, PH 6.0-7.5, sun.

12 to 15 in. B&B	1.75	1.50	1.25
15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	2.50	2.25	2.00
24 to 30 in. B&B	3.00	2.50	

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

Cotoneaster — Continued

—**hupehensis.** 5 ft. (Hupen Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun.

18 to 24 in. B&B.....	1.75	1.50	1.25
2 to 3 ft. B&B.....	2.00	1.75	

—**lucida.** 12 ft. Rich loam, moist, PH 6.0-7.5, sun or slight shade.

2 to 3 ft. B&B.....	1.75	1.50	
3 to 4 ft. B&B.....	2.25	2.00	

—**microphylla.** 15 ft. (Rockspray) Rich, medium loam, moist, PH 6.0-7.5, sun.

12 to 15 in. B&B	1.75	1.50	1.25
15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	2.50	2.25	2.00
24 to 30 in. B&B	2.75	2.50	2.25

—**rotundifolia.** 6 ft. (Roundleaf Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun.

12 to 15 in. B&B	1.50	1.25	
15 to 18 in. B&B	2.00	1.75	

—**salicifolia.** 10 ft. (Willowleaf Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun or part shade.

2 to 3 ft. B&B	2.00	1.75	
3 to 4 ft. B&B	2.50	2.25	

—**wilsoni.** 4 ft. (Wilson Cotoneaster) Rich, medium loam, moist well drained, PH 6.0-7.5, sun.

12 to 15 in. B&B	1.75	1.50	1.25
15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	2.50	2.25	2.00
24 to 30 in. B&B	2.75	2.50	2.25

CRATAEGUS

—**coccinea.** 15 ft. (Thicket Hawthorn) Medium loam, or heavy soil, moist, PH 6.0-7.5, sun.

5 to 6 ft.	3.00	2.75	
6 to 8 ft.	4.00	3.75	

—**calpodendron.** 20 ft. (Pear Hawthorn) Medium loam, or heavy soil, moist, PH 6.0-7.5, sun.

5 to 6 ft.	3.00	2.75	2.50
6 to 8 ft.	4.00	3.75	3.50

—**crusgalli.** 15 ft. (Cockspur Thorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.

4 to 5 ft.	2.50	2.25	2.00
5 to 6 ft.	3.00	2.75	2.50
6 to 8 ft.	4.00	3.75	3.50

Each	Each	Each
1-4	5-24	25-up

Crataegus — Continued

—**mollis.** 18 ft. (Downy Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.

4 to 5 ft.	2.50	2.25	2.00
5 to 6 ft.	3.00	2.75	2.50
6 to 8 ft.	4.00	3.75	3.50
8 to 10 ft.	5.00	4.50	4.00

—**nitida.** 15 ft. (Glossy Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.

4 to 5 ft.	2.50	2.25	2.00
5 to 6 ft.	3.00	2.75	
6 to 8 ft.	4.00	3.75	

—**oxyacantha.** 12 ft. (English Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun or part shade.

3 to 4 ft.	2.00	1.75	1.50
4 to 5 ft.	2.50	2.25	2.00
5 to 6 ft.	3.00	2.75	2.50
6 to 8 ft.	4.00	3.75	3.50
8 to 10 ft.	5.00	4.50	4.00

—**oxyacantha pauli.** 15 ft. (Paul's Scarlet Thorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.

2 to 3 ft.	1.50	1.25
3 to 4 ft.	2.50	2.00
4 to 5 ft.	3.00	2.50

—**phaenopyrum (cordata)** 20 ft. (Washington Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun or part shade.

4 to 5 ft.	2.50	2.25	2.00
5 to 6 ft.	3.00	2.75	2.50
6 to 8 ft.	4.00	3.75	3.50
8 to 10 ft.	5.00	4.50	4.00

—**prunifolia.** 25 ft. (Plumleaf Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.

3 to 4 ft.	2.50	2.25	2.00
4 to 5 ft.	3.00	2.75	2.50

—**punctata.** 22 ft. (Dotted Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.

5 to 6 ft.	3.00	2.75
6 to 8 ft.	4.00	3.75

CYDONIA See *Chaenomeles*

DAPHNE

—**cneorum.** 15 in. (Garland Flower) Porous peaty or sandy, moist, well drained, PH 5.5-7.5, sun.

6 to 8 in. B&B	1.00	.85	.75
8 to 12 in. B&B	1.25	1.15	1.00
12 to 15 in. B&B	1.75	1.65	1.50

DESMODIUM (see *Lespedeza*)

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

DEUTZIA

—**gracilis.** 3 ft. (Slender Deutzia) Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun.

12 to 15 in.	.35	.30	.25
15 to 18 in.	.45	.40	.35
18 to 24 in.	.50	.45	.40
24 to 30 in.	.55	.50	.45

—**gracilis rosea.** 4 ft. (Rose Panicle Deutzia) Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun.

18 to 24 in.	.50	.45	.40
24 to 30 in.	.55	.50	.45
30 to 36 in.	.60	.55	.50

—**lemoini.** 5 ft. (Lemoine Deutzia) Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun or partial shade.

18 to 24 in.	.40	.35	.30
2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.60	.50	

—**scabra candissima.** 12 ft. (Snowflake Deutzia) Sandy to silty loam, moist well drained, PH 6.0-7.5, sun.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35

—**scabra crenata rosea plena.** 7 ft. (Double Rose Deutzia) Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60

—**scabra pride of Rochester.** 7 ft. (Double Rose Deutzia) Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50

DIERVILLA

—**trifida.** 4 ft. (Dwarf Bush Honeysuckle) Sandy to silty loam, moist, PH 6.0-7.5, sun or part shade.

18 to 24 in.	.35	.30
2 to 3 ft.	.45	.40
3 to 4 ft.	.55	.50

DIOSPYROS

—**virginiana.** 15 ft. (Common Persimmon) Silty clay loam, moist, PH 6.0-7.5, sun or part shade.

6 to 8 ft.	3.00	2.50
8 to 10 ft.	3.50	3.00
1½ to 1¾ in.	4.50	4.00
1¾ to 2 in.	5.50	5.00
2 to 2½ in.	6.50	6.00

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

ELEAGNUS

—*angustifolia*. 15 ft. (Russian Olive) Silty clay, moist well drained, PH 6.0-7.5, sun.

18 to 24 in.	.35	.30	.25
3 to 4 ft.	.50	.45	
4 to 5 ft.	.60	.55	
5 to 6 ft.	.80	.70	.65
6 to 8 ft.	1.25	1.15	1.00
8 to 10 ft.	2.00	1.75	1.50

—*argentea*. 12 ft. (Silverberry) Silty clay, moist, well drained, PH 6.0-7.5, sun or part shade.

4 to 5 ft.	.75	.70	.65
5 to 6 ft.	1.00	.90	.80

—*longipes*. 6 ft. (Cherry Eleagnus) Silty clay, moist, well drained, PH 6.0-7.5, sun or part shade.

18 to 24 in.	.60	.50	
2 to 3 ft.	.80	.65	

—*umbellata*. 12 ft. (Autumn Eleagnus) Silty clay, moist, well drained, PH 6.0-7.5, sun or part shade.

18 to 24 in.	.35	.30	
2 to 3 ft.	.45	.40	
4 to 5 ft.	.80	.70	.60
5 to 6 ft.	1.00	.90	.80
6 to 8 ft.	1.50	1.25	

EUONYMUS

—*alatus*. 8 ft. (Winged Euonymus) Silty clay loam, moist, PH 5.5-7.5, sun or medium shade.

18 to 24 in.	.60	.55	.50
2 to 3 ft.	.80	.70	.60
3 to 4 ft.	1.00	.90	.80
4 to 5 ft.	1.50	1.35	1.25
5 to 6 ft.	2.25	2.00	1.75
6 to 8 ft.	3.00	2.75	2.50

—*alatus compacta*. 6 ft. (Dwarf Winged Euonymus) Silty clay loam, moist, PH 5.5-7.5, sun or medium shade.

15 to 18 in.	.50	.45	.40
18 to 24 in.	.80	.70	.60
24 to 30 in.	.90	.80	.70
30 to 36 in.	1.25	1.15	1.00

—*americanus*. 8 ft. (Brook Euonymus) Silty clay loam, moist, PH 5.5-7.5, sun or part shade, tolerates wet soil.

2 to 3 ft.	.50	.45	
3 to 4 ft.	.60	.50	

—*atropurpureus*. 15 ft. (Wahoo) Silty clay loam, moist, PH 5.5-7.5, sun or part shade, tolerates wet soil.

4 to 5 ft.	.70	.60	
5 to 6 ft.	.90	.80	

—*bungeanus*. 15 ft. (Winterberry Euonymus) Silty clay loam, moist, PH 5.5-7.5, sun or medium shade.

2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.55	.50	.45
4 to 5 ft.	.65	.60	.55
5 to 6 ft.	.80	.75	.65
6 to 8 ft.	1.25	1.15	1.00

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

EUONYMUS — Continued

—europaeus. 15 ft. (European Burning Bush) Silty clay loam, moist, PH 5.5-7.5, sun-shade.			
3 to 4 ft.55	.50	.45
4 to 5 ft.65	.60	.55
5 to 6 ft.80	.75	.65
6 to 8 ft.	1.25	1.00	
—fortuni radicans. 1 ft. (Wintercreeper) Sandy to silty clay, moist, PH 5.5-7.5, sun or shade.			
9 to 12 in.40	.35	.30
12 to 15 in.50	.45	.40
15 to 18 in.60	.55	.50
—f. carriere. 3 ft. (Glossy Wintercreeper) Silty clay loam, moist, PH 5.5-7.5, sun-shade.			
12 to 15 in.50	.45	.40
15 to 18 in.60	.55	.50
18 to 24 in.70	.65	.60
—f. coloratus. 1 ft. (Red-leaved Wintercreeper) Silty clay loam, moist, PH 5.5-7.5, sun or shade.			
12 to 15 in.45	.40	.35
15 to 18 in.55	.50	.45
18 to 24 in.65	.60	.55
—f. erecta. 3 ft. (Upright Wintercreeper) Silty clay loam, moist, PH 5.5-7.5, sun or shade.			
12 to 15 in.50	.45	.40
15 to 18 in.60	.55	.50
18 to 24 in.70	.65	.60
—f. vegetus. 4 ft. (Largeleaf Wintercreeper) Silty clay loam, moist, PH 5.5-7.5, sun or shade.			
12 to 15 in.80	.70	.60
15 to 18 in.90	.80	.75
—kiautschovicus (patens). 8 ft. Sandy to silty clay, moist, well drained, PH 5.5-7.5, sun or shade.			
12 to 15 in.70	.60	
15 to 18 in.80	.75	
—oxyphyllus. 15 ft. Silty clay loam, moist, PH 5.5-7.5, sun.			
3 to 4 ft.60	.55	.50
4 to 5 ft.80	.70	.60
5 to 6 ft.	1.00	.90	.80
6 to 8 ft.	1.50	1.35	1.25
—patens (see kiautschovicus).			
—yedoensis. 10 ft. (Yeddo Euonymus) Silty clay loam, moist, PH 5.5-7.5, sun or part shade.			
3 to 4 ft.55	.50	.45
4 to 5 ft.65	.60	.55
5 to 6 ft.85	.75	.65
6 to 8 ft.	1.25	1.15	1.00

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

EXOCHORDIA

—**grandiflora.** 10 ft. (Pearl Bush) Medium loam, moist, well drained, PH 6.0-7.5- sun.

2 to 3 ft.	.45	.40	
3 to 4 ft.	.60	.55	.50
5 to 6 ft.	.85	.75	
6 to 8 ft.	1.25	1.15	

FAGUS

—**grandiflora.** 60 ft. (American Beech) Medium loam, moist, well drained, PH 5.0-7.0, sun or part shade, avoid alkaline soil.

2 to 3 ft. B&B	3.50	3.00	
3 to 4 ft. B&B	4.50	4.00	
4 to 5 ft. B&B	5.50	5.00	

—**sylvatica.** 75 ft. (European Beech) Medium loam, moist, well drained, PH 6.0-7.0, sun-slight shade.

3 to 4 ft. B&B	4.00	3.75	3.50
4 to 5 ft. B&B	5.00	4.75	4.50
5 to 6 ft. B&B	7.00	6.50	6.00
6 to 8 ft. B&B	10.00	9.00	8.00
8 to 10 ft. B&B	12.00	11.00	
10 to 12 ft. B&B	17.50	15.00	

—**sylvatica heterophylla.** 40 ft. (Fernleaf Beech) Medium loam, moist, well drained, PH 5.0-7.0, sun or shade.

2 to 3 ft. B&B	4.50	4.00	
3 to 4 ft. B&B	6.50	6.00	
4 to 5 ft. B&B	11.00	10.00	

—**sylvatica pendula.** 40 ft. (Weeping Beech) Medium loam, moist, well drained, PH 5.0-7.0, sun or part shade.

6 to 8 ft. B&B	30.00		
2½ to 3 in. B&B	50.00		
3 to 3½ in. B&B	60.00		

—**sylvatica purpurea.** 75 ft. (Purple Beech) Medium loam, moist, well drained, PH 5.0-7.0, sun, part shade.

2 to 3 ft. B&B	4.00	3.50	
3 to 4 ft. B&B	5.00	4.50	
4 to 5 ft. B&B	6.50	6.00	
5 to 6 ft. B&B	11.00	10.00	

—**sylvatica riversi.** 45 ft. (Rivers Purple Beech) Medium loam, moist, well drained, PH 5.0-7.0, sun or part shade.

2 to 3 ft. B&B	4.00	3.50	3.00
3 to 4 ft. B&B	5.00	4.50	4.00
4 to 5 ft. B&B	6.50	6.00	
5 to 6 ft. B&B	15.00	12.50	
6 to 8 ft. B&B	25.00	20.00	
2 to 2½ in. B&B	40.00	35.00	
2½ to 3 in. B&B	50.00	45.00	
3 to 3½ in. B&B	60.00	55.00	
3½ to 4 in. B&B	75.00	70.00	

—**sylvatica tricolor.** 40 ft. Medium loam, moist well drained, PH 5.0-7.0, sun or part shade.

18 to 24 in. B&B	3.50	3.00	
------------------	------	------	--

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

FORSYTHIA

—intermedia. 7 ft. (Border Forsythia) Rich medium loam, moist, PH 6.0-7.5, sun or light shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60
—intermedia spectabilis. 8 ft. (Showy Border Forsythia) Rich, medium loam, moist, PH 6.0-7.5, sun or light shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60
—ovata. 8 ft. (Korean Forsythia) Rich, medium loam, moist, PH 6.0-7.5, sun or light shade.			
2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.60	.55	.50
4 to 5 ft.....	.65	.60	
—suspensa. 5 ft. (Weeping Forsythia) Rich medium loam, moist, PH 6.0-7.5, sun or light shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60
—suspensa fortuni. 7 ft. (Fortune Forsythia) Rich, medium loam, moist, PH 6.0-7.5, sun or light shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60
—viridissima. 5 ft. (Greenstem Forsythia) Rich, medium loam, moist, PH 6.0-7.5, sun or part shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35

FRAXINUS

—americana. 60 ft. (White Ash) Medium loam, moist, PH 6.0-7.5, sun.			
6 to 8 ft.....	2.00	1.75	1.50
8 to 10 ft.....	2.25	2.00	1.75
1½ to 1½ in.....	2.50	2.25	2.00
1½ to 1¾ in.....	4.00	3.50	3.00
1¾ to 2 in.....	5.00	4.50	4.00
2 to 2½ in.....	6.00	5.50	5.00
2½ to 3 in.....	8.00	7.50	7.00
3 to 3½ in.....	12.00	10.00	
—excelsior. 90 ft. (European Ash) Medium loam, moist, PH 6.0-7.5, sun.			
6 to 8 ft.....	2.00	1.75	
8 to 10 ft.....	2.25	2.00	
1½ to 1½ in.....	2.50	2.25	
—lanceolata. 60 ft. (Green Ash) Medium loam, moist, PH 6.0-7.5, sun, tolerates wet soil.			
6 to 8 ft.....	2.00	1.75	1.50
8 to 10 ft.....	2.25	2.00	1.75
1½ to 1½ in.....	2.50	2.25	2.00
1½ to 1¾ in.....	4.00	3.50	3.00

FRAXINUS — laceolata		Continued	Each	Each	Each
			1-4	5-24	25-up
1 3/4	to 2	in.	5.00	4.50	4.00
2	to 2 1/2	in.	6.00	5.50	5.00
2 1/2	to 3	in.	8.00	7.50	7.00
3	to 3 1/2	in.	12.00	10.00	
3 1/2	to 4	in.	15.00	14.00	

—mandshurica.		75 ft. (Manchurian Ash)	Medium loam,
		moist, PH 6.0-7.5, sun.	
6	to 8	ft.	2.50
8	to 10	ft.	3.00
1 1/4	to 1 1/2	in.	3.50
1 1/2	to 1 3/4	in.	4.00

GINKGO

—biloba.		60 ft. (Maidenhair Tree)	Rich sandy to silty
		loam, moist, well drained, PH 5.5-7.5, sun.	
5	to 6	ft.	2.00
6	to 8	ft.	3.00
8	to 10	ft.	3.50
1 1/4	to 1 1/2	in.	4.00
1 1/2	to 1 3/4	in.	5.00
1 3/4	to 2	in.	6.50
2	to 2 1/2	in.	8.00
2 1/2	to 3	in.	10.00
3	to 3 1/2	in.	15.00
			14.00

GLEDITSIA

—triocanthos.		60 ft. (Honey Locust)	Rich silty
		loam, moist, PH 6.0-8.0, sun.	clay
5	to 6	ft.	1.25
6	to 8	ft.	2.00
1 1/4	to 1 1/2	in.	3.00
1 1/2	to 1 3/4	in.	3.50
1 3/4	to 2	in.	5.00
2	to 2 1/2	in.	7.00
2 1/2	to 3	in.	8.50

—triocanthos inermis.		50 ft. (Thornless Honey Locust)	
		Rich, silty clay loam, moist, PH 6.0-8.0, sun.	
5	to 6	ft.	1.75
6	to 8	ft.	2.25
8	to 10	ft.	2.75
1 1/4	to 1 1/2	in.	3.25
1 1/2	to 1 3/4	in.	4.00
1 3/4	to 2	in.	5.50
2	to 2 1/2	in.	8.00
2 1/2	to 3	in.	10.00
3	to 3 1/2	in.	11.00
3 1/2	to 4	in.	14.00
			12.00

GYMNOCLEADUS

—dioeca.		40 ft. (Kentucky Coffee Tree)	Rich, medium
		loam, moist, PH 6.0-8.0, sun.	
1 1/4	to 1 1/2	in.	4.50
1 1/2	to 1 3/4	in.	5.50
2	to 2 1/2	in.	7.00

HALESIA

—carolina (tetrapeta).		14 ft. (Great Silverbell)	Rich
		medium loam, moist, well drained, PH 5.5-7.5,	
		sun.	
4	to 5	ft.	1.25
5	to 6	ft.	1.75
6	to 8	ft.	2.50
8	to 10	ft.	3.00
			2.75
			2.50

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

HAMAMELIS

—virginiana. 15 ft. (Witch-Hazel)	Medium loam, moist, well drained, PH 6.0-7.0, sun-medium shade.		
2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.55	.50	.45
4 to 5 ft.	.70	.65	.60
5 to 6 ft.	1.00	.90	.80
6 to 8 ft.	1.25	1.00	

HEDERA

—helix. 20 ft. (English Ivy)	Medium loam, moist, well drained, PH 6.0-7.5, partial shade-shade.		
2 year, 3 in. pots	.40	.35	.30

—helix baltica. 15 ft. (Small Leaf English Ivy)	Medium loam, moist, well drained, PH 6.0-7.5, partial shade-shade.		
2 year, 3 in. pots	.45	.40	.35

HIBISCUS — Syriacus. 15 ft. (Althea) Deep, sandy to silty loam, moist, PH 6.5-7.5, sun or part shade.

—anemoneaeflorus — double rose			
—ardens — double violet			
—banner — double white, red stripes			
—coelestis — single blue			
—lucy — double red			
—pulcherrima — double flesh, red center			
—toton albus — single white			
18 to 24 in.	.40	.35	.30
2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.55	.50	.45

HYDRANGEA

—arborescens grandiflora. 6 ft. (Hills of Snow)	Medium to silty clay loam, moist, PH 6.5-8.0, sun- light shade.		
12 to 18 in.	.35	.32	.30
18 to 24 in.	.45	.40	.35
—nikko blue. 3 ft. (Hardy blue hydrangea)	Medium loam, moist, PH 6.0-7.5, sun.		
12 to 15 in.	.50	.45	
15 to 18 in.	.60	.55	
—paniculata grandiflora. 7 ft. (Peegee Hydrangea)	Medium to silty clay loam, moist, PH 6.0-7.5, sun.		
12 to 18 in.	.35	.30	.25
18 to 24 in.	.40	.35	.30
2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.60	.55	.50

HYPERICUM

—aureum. 4 ft. (Golden St. Johnswort)	Sandy to med- ium loam, moist, well drained, PH 6.5-8.0, sun-light shade.		
18 to 24 in.	.40	.35	
2 to 2½ ft.	.45	.40	
2½ to 3 ft.	.60	.55	.50

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

HYPERICUM — Continued

—*densiflorum*. 4 ft. (St. Johnswort) Sandy to medium loam, moist, well drained, PH 6.5-8.0, sun-slight shade.

18 to 24 in.	.40	.35	.30
2 to 2½ ft.	.45	.40	.35
2½ to 3 ft.	.50	.45	.40
3 to 4 ft.	.60	.55	.50

—*prolificum*. 5 ft. (Shrubby St. Johnswort) Sandy to medium loam, moist, well drained, PH 6.5-8.0, sun-slight shade.

18 to 24 in.	.40	.35	.30
2 to 2½ ft.	.45	.40	.35
2½ to 3 ft.	.50	.45	.40
3 to 4 ft.	.60	.55	.50

ILEX

—*glabra*. 5 ft. (Ink Berry) Medium loam, moist, PH 4.5-6.0, sun or shade.

12 to 15 in. B&B	1.50	1.35	1.25
15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	2.50	2.25	2.00
2 to 2½ ft. B&B	3.00	2.75	2.50
2½ to 3 ft. B&B	3.50	3.25	3.00
3 to 3½ ft. B&B	4.50	4.25	4.00
3½ to 4 ft. B&B	6.00	5.50	5.00

—*opaca*. 20 ft. (American Holly) Sandy to silty clay, moist, well drained, PH 5.0-7.0, sun-part shade.

18 to 24 in. B&B	3.50	3.25	3.00
2 to 3 ft. B&B	4.50	4.25	4.00
3 to 4 ft. B&B	7.00	6.00	
6 to 8 ft. B&B	20.00	17.50	

—*verticillata*. 6 ft. (Winterberry) Light to medium loam, moist, well drained, PH 5.0-6.0, sun or part shade.

2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.60	.55	.50
4 to 5 ft.	.90	.80	.75
5 to 6 ft.	1.25	1.15	1.00
6 to 8 ft.	1.50	1.35	1.25

JUGLANS

—*cinerea*. 75 ft. (Butternut) Medium loam, moist, PH 6.0-7.5, sun.

8 to 10 ft.	4.00	3.50
-------------	------	------

—*nigra*. 80 ft. (Black Walnut) Medium loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	2.50	2.00
8 to 10 ft.	3.50	3.00
1½ to 2 in.	4.50	4.00
2 to 2½ in.	5.50	5.00
2½ to 3 in.	6.50	6.00

—*sieboldiana*. 50 ft. (Japanese Walnut) Medium loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	2.50	2.00
8 to 10 ft.	3.50	3.00
1¼ to 1½ in.	4.50	4.00

Each	Each	Each
1-4	5-24	25-up

JUNIPERUS

—**chinensis.** 20 ft. (Chinese Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.

4 to 5 ft. B&B.....	4.75	4.50
5 to 6 ft. B&B.....	7.00	6.50

—**chinensis columnaris glauca.** 20 ft. (Blue Chinese Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.

2 to 2½ ft. B&B.....	2.75	2.50	2.25
2½ to 3 ft. B&B.....	3.50	3.25	3.00
3 to 4 ft. B&B.....	4.50	4.25	4.00

—**chinensis mascula.** 12 ft. Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.

2½ to 3 ft. B&B.....	3.25	3.00
3 to 4 ft. B&B.....	4.25	4.00
4 to 5 ft. B&B.....	5.50	5.00
6 to 7 ft. B&B.....	10.00	9.00
7 to 8 ft. B&B.....	12.00	10.00
8 to 9 ft. B&B.....	15.00	12.00

—**chinensis pfitzeriana.** 6 ft. (Pfitzer Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.

12 to 15 in. spreading B&B.....	2.00	1.75	1.50
15 to 18 in. spreading B&B.....	2.25	2.00	1.75
18 to 24 in. spreading B&B.....	2.50	2.25	
24 to 30 in. spreading B&B.....	3.00	2.75	
30 to 36 in. spreading B&B.....	4.00	3.75	3.50
3 to 4 ft. spreading B&B.....	6.00	5.50	5.00
4 to 4½ ft. B&B.....	7.00	6.50	6.00

—**pfitzeriana Kallay's Compacta.** Same as above.

12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.25	2.00	1.75
18 to 24 in. B&B.....	2.50	2.25	2.00
24 to 30 in. B&B.....	3.00	2.75	2.50

—**chinensis sargentii.** 1½ ft. (Sargent Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.

15 to 18 in. B&B.....	3.00	2.50
18 to 24 in. B&B.....	3.50	3.00
24 to 30 in. B&B.....	4.00	3.50

—**communis depressa.** 2 ft. (Prostrate Juniper) Medium to silty clay loam, moist, well drained, PH 5.5-7.0, sun.

12 to 15 in. B&B.....	1.50	1.35	1.25
15 to 18 in. B&B.....	1.75	1.65	1.50
18 to 24 in. B&B.....	2.50	2.25	2.00
24 to 30 in. B&B.....	3.00	2.75	2.50

—**communis depressa aureo spica.** 2 ft. (Golden Prostrate Juniper) Medium to silty clay loam, moist, well drained, PH 5.5-7.0, sun.

12 to 15 in. B&B.....	2.25	2.00
-----------------------	------	------

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

JUNIPERUS — Continued

—**communis hibernica.** 15 ft. (Irish Juniper) Medium to silty clay loam, moist, well drained, PH 5.5-7.0, sun.

18 to 24 in. B&B.....	1.50	1.35	1.25
24 to 30 in. B&B.....	1.75	1.65	1.50
30 to 36 in. B&B.....	2.25	2.00	1.75
3 to 4 ft. B&B.....	2.75	2.50	2.25
4 to 5 ft. B&B.....	4.00	3.50	3.25

—**glauca hetzii.** 7 ft. (Blue Pfitzer Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.

12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.25	2.00	1.75

—**horizontalis plumosa.** 2 ft. (Andorra Juniper) Medium to silty clay loam, moist, well drained, PH 5.5-7.0, sun.

12 to 15 in. B&B.....	1.50	1.35	1.25
15 to 18 in. B&B.....	1.75	1.65	1.50
18 to 24 in. B&B.....	2.25	2.00	1.75
24 to 30 in. B&B.....	2.75	2.50	2.25
30 to 36 in. B&B.....	3.50	3.25	3.00

—**excelsa stricta.** 12 ft. (Spiney Greek Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.

12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.25	2.00	1.75
18 to 24 in. B&B.....	2.75	2.50	2.25
24 to 30 in. B&B.....	3.50	3.00	
30 to 36 in. B&B.....	4.50	4.00	

—**horizontalis.** 1 ft. (Creeping Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun or slight shade.

12 to 15 in. B&B.....	1.50	1.35	1.25
15 to 18 in. B&B.....	1.75	1.65	1.50
18 to 24 in. B&B.....	2.25	2.00	1.75
24 to 30 in. B&B.....	2.50	2.25	2.00
30 to 36 in. B&B.....	3.00	2.75	2.50

—**horizontalis douglasii.** 1 ft. (Creeping Savin) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun or part shade.

12 to 15 in. B&B.....	1.50	1.35	1.25
15 to 18 in. B&B.....	1.75	1.65	1.50
18 to 24 in. B&B.....	2.25	2.00	1.75
24 to 30 in. B&B.....	2.50	2.25	2.00
30 to 36 in. B&B.....	3.00	2.75	2.50

—**horizontalis glauca.** 1 ft. (Blue Creeping Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun or part shade.

12 to 15 in. B&B.....	1.50	1.35	1.25
15 to 18 in. B&B.....	1.75	1.65	1.50
18 to 24 in. B&B.....	2.25	2.00	1.75
24 to 30 in. B&B.....	2.50	2.25	2.00
30 to 36 in. B&B.....	3.00	2.75	2.50

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

JUNIPERUS — Continued

—sabina. 5 ft. (Savin Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.			
18 to 24 in. B&B	2.25	2.00	1.75
24 to 30 in. B&B	2.75	2.50	2.25
30 to 36 in. B&B	3.50	3.25	3.00
—sabina tamariscifolia. 1½ ft. (Tamarix Savin) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.			
12 to 15 in. B&B	2.00	1.75	1.50
15 to 18 in. B&B	2.25	2.00	1.75
18 to 24 in. B&B	2.75	2.50	2.25
24 to 30 in. B&B	2.75	2.50	
—sabina von ehron. 10 ft. Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.			
12 to 15 in. B&B	2.00	1.75	1.50
15 to 18 in. B&B	2.25	2.00	1.75
18 to 24 in. B&B	2.75	2.50	2.25
24 to 30 in. B&B	3.25	3.00	2.75
—scopularum Chandlers Blue. 25 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.			
2 to 2½ ft. B&B	2.50	2.25	2.00
2½ to 3 ft. B&B	3.50	3.25	3.00
3 to 4 ft. B&B	4.50	4.25	4.00
4 to 5 ft. B&B	5.50	5.00	
—scopularum hill's silver. 20 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.			
2 to 2½ ft. B&B	2.50	2.25	2.00
2½ to 3 ft. B&B	3.50	3.25	3.00
3 to 4 ft. B&B	4.50	4.25	4.00
4 to 5 ft. B&B	5.50	5.00	
5 to 6 ft. B&B	7.00	6.50	
—squamata meyeri. 4 ft. (Meyer's Juniper) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.			
12 to 15 in. B&B	1.50	1.35	1.25
15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	2.50	2.25	2.00
24 to 30 in. B&B	3.00	2.75	2.50
30 to 36 in. B&B	4.00	3.50	
—virginiana. 25 ft. (Red Cedar) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.			
2½ to 3 ft. B&B	3.00	2.75	2.50
3 to 4 ft. B&B	4.00	3.75	3.50
4 to 5 ft. B&B	5.00	4.75	4.50
5 to 6 ft. B&B	7.00	6.50	
6 to 7 ft. B&B	9.00	8.00	
7 to 8 ft. B&B	11.00	10.00	
—vir. burki, syn. virg-venusta. 15 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.			
2½ to 3 ft. B&B	3.50	3.25	3.00
3 to 4 ft. B&B	4.50	4.25	4.00
4 to 5 ft. B&B	5.00	4.75	4.50
5 to 6 ft. B&B	7.50	7.00	6.50
6 to 7 ft. B&B	9.00	8.00	
7 to 8 ft. B&B	11.00	10.00	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

JUNIPERUS — Continued

—**virg. canaertii.** 18 ft. (Cannert Red Cedar) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2 to 2½ ft. B&B	2.50	2.25	2.00
2½ to 3 ft. B&B	3.50	3.25	3.00
3 to 4 ft. B&B	4.50	4.25	4.00
4 to 5 ft. B&B	5.50	5.00	4.75
5 to 6 ft. B&B	7.50	7.00	6.50
6 to 7 ft. B&B	9.00	8.00	
7 to 8 ft. B&B	12.00	10.00	

—**virg. canaertii Kallay's type.** 20 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2 to 2½ ft. B&B	2.50	2.25	2.00
2½ to 3 ft. B&B	3.50	3.25	3.00
3 to 4 ft. B&B	4.50	4.25	4.00
4 to 5 ft. B&B	5.50	5.00	4.75
5 to 6 ft. B&B	7.50	7.00	

—**virg. elegantissima lee.** 5 ft. (Goldtip Juniper) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2 to 2½ ft. B&B	2.25	2.00	
2½ to 3 ft. B&B	3.25	3.00	
3 to 4 ft. B&B	4.25	4.00	

—**virg. glauca.** 20 ft. (Blue Cedar) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2 to 2½ ft. B&B	2.50	2.00	
2½ to 3 ft. B&B	3.50	3.00	
3 to 4 ft. B&B	4.50	4.00	

—**virg. globosa.** 4 ft. (Globe Juniper) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

15 to 18 in. B&B	2.00	1.75	
18 to 24 in. B&B	3.00	2.50	

—**virg. keteleeri.** 15 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2 to 2½ ft. B&B	2.50	2.25	2.00
2½ to 3 ft. B&B	3.50	3.25	3.00
3 to 4 ft. B&B	4.50	4.25	4.00
4 to 5 ft. B&B	5.00	4.50	
5 to 6 ft. B&B	7.50	7.00	
6 to 7 ft. B&B	9.00	8.00	
7 to 8 ft. B&B	12.00	10.00	
8 to 9 ft. B&B	15.00	13.00	
9 to 10 ft. B&B	17.50	15.00	
10 to 12 ft. B&B	22.50	20.00	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

JUNIPERUS — Continued

—*pyramidaliformia*. 20 ft. (Hill's Pyramid Juniper) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2 to 2½ ft. B&B.....	2.50	2.25	2.00
2½ to 3 ft. B&B.....	3.50	3.25	3.00
3 to 4 ft. B&B.....	4.50	4.00	
4 to 5 ft. B&B.....	5.50	5.00	

—*virg. schotti*. 18 ft. (Schott's Red Cedar) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2 to 2½ ft. B&B.....	2.50	2.25	2.00
2½ to 3 ft. B&B.....	3.50	3.25	3.00
3 to 4 ft. B&B.....	5.00	4.50	
4 to 5 ft. B&B.....	5.50	5.00	
5 to 6 ft. B&B.....	7.50	7.00	

KALMIA

—*latifolia*. 6 ft. (Mountain Laurel) Woodsy or peaty loam, moist, well drained, PH 4.5-6.0, sun-shade, shade in hot climate.

15 to 18 in. B&B.....	2.50	2.25	2.00
18 to 24 in. B&B.....	3.00	2.50	
24 to 30 in. B&B.....	4.00	3.50	
30 to 36 in. B&B.....	4.50	4.00	

KOELREUTERA

—*paniculata*. 25 ft. (Goldenrain Tree) Rich, medium loam, moist, PH 6.0-7.5, sun.

2 to 3 ft.....	1.00	.75	
----------------	------	-----	--

KOLKWITZIA

—*amabilis*. 6 ft. (Beautybush) Sandy to silty clay, moist, PH 6.0-7.5, sun or slight shade.

18 to 24 in.....	.40	.35	
2 to 3 ft.....	.50	.45	
3 to 4 ft.....	.60	.55	
4 to 5 ft.....	.85	.80	
5 to 6 ft.....	1.25	1.00	
6 to 8 ft.....	2.00	1.75	

LEUCOTHOE

—*catesbaei*. 6 ft. (Drooping Leucothoe) Woodsy or peaty loam, moist, well drained, PH 4.5-6.0, shady location.

12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.50	2.25	2.00

LIGUSTRUM

	Each 1-24	Each 25-249	Each 250-up
--	--------------	----------------	----------------

—*amurense*. 12 ft. (Amur Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.

12 to 18 in.....	.10	.08	.07
18 to 24 in., 3 canes and up.....	.12	.11	.10
2 to 3 ft.....	.15	.13	.12

—*ibolium*. 10 ft. (Hardy California Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.

12 to 18 in.....	.10	.08	.07
2 to 3 ft.....	.15	.13	.12
3 to 4 ft.....	.22	.20	

	Each 1-24	Each 25-249	Each 250-up
--	--------------	----------------	----------------

LIGUSTRUM — Continued

—obtusifolium (ibota.) 8 ft. (Chinese Privet)	Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.		
2 to 3 ft.	.22	.20	.18
3 to 4 ft.	.30	.27	.25
4 to 5 ft.	.40	.35	.30
5 to 6 ft.	.60	.50	.40
6 to 8 ft.	.80	.70	.60
—ibota regelianum. 6 ft. (Regal Privet)	Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.		
12 to 18 in.	.30	.25	.20
18 to 24 in.	.35	.30	.25
24 to 30 in.	.40	.35	.30
30 to 36 in.	.50	.45	.40
3 to 4 ft.	.80	.70	.60
4 to 5 ft.	1.00	.90	.80
—ovalifolium. 10 ft. (California Privet)	Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.		
12 to 18 in., 2 canes and up	.10	.08	.06
18 to 24 in., 3 canes and up	.12	.09	.08
2 to 3 ft., 4 canes and up	.14	.12	.10
—ovalifolium variegatum. 10 ft. (Golden Calif. Privet)	Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.		
12 to 18 in.	.25	.22	.20
18 to 24 in.	.30	.27½	.25
—vulgare. 10 ft. (English Privet)	Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.		
2 to 3 ft.	.30	.25	
4 to 5 ft.	.45	.40	
5 to 6 ft.	.60	.50	
	Each 1-4	Each 5-24	Each 25-up

LESPEDEZA

—thunbergi (penduliflorum) (Bushclover)	Medium loam, dry-moist, PH 6.5-7.5, sun.		
2 year	.45	.40	
3 year	.60	.50	

LINDERA

—benzoin. 12 ft. (Spicebush)	Sandy to clay loam, moist, PH 4.5-6.0, sun or part shade, stands wet soil.		
18 to 24 in.	.35	.30	
2 to 3 ft.	.45	.40	
3 to 4 ft.	.55	.50	
4 to 5 ft.	.70	.65	

LIRIODENDRON

—tulipifera. 60 ft. (Tulip Tree)	Rich, medium loam, moist, well drained, PH 6.0-7.0, sun or part shade.		
6 to 8 ft.	1.75	1.50	
8 to 10 ft.	2.50	2.00	
1¾ to 2 in.	4.50	4.00	
2 to 2½ in.	5.50	5.00	
2½ to 3 in.	9.00	8.00	
3 to 3½ in.	15.00	12.00	
3½ to 4 in.	16.00	15.00	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

LIQUIDAMBER

—*stylocarpa*, 50 ft. (Sweet Gum) Rich, medium loam, moist, PH 5.5-7.0, sun.

1½ to 2 in.	5.50	4.50	4.00
2 to 2½ in.	7.00	6.50	
2½ to 3 in.	10.00	8.00	
3 to 3½ in.	15.00	12.00	
3½ to 4 in.	17.50	15.00	
4 to 5 in.	22.50	20.00	
5 to 7 in., price on request			

LONICERA

—*bella albida*. 8 ft. (White Bell Honeysuckle) Sandy loam to silty clay, moist, PH 6.5-8.0, sun-shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60

—*bella rosea*. 8 ft. (Pink Bell Honeysuckle) Sandy loam to silty clay, moist, PH 5.5-8.0, sun-shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60

—*fragrantissima*. 8 ft. (Winter Honeysuckle) Medium loam to silty clay, moist well drained, PH 6.0-7.5, sun-med. shade.

2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.70	.65	.60
5 to 6 ft.	.90	.80	.75
6 to 8 ft.	1.25	1.15	1.00

—*gold flame*. 15 ft., Sandy loam to silty clay, dry-moist, PH 6.0-8.0, sun or part shade.

2 years No. 1	.45	.40
---------------	-----	-----

—*halliana*. 15 ft. (Hall's Japan Honeysuckle) Sandy loam to silty clay, dry-moist, PH 6.0-8.0, sun or part shade.

2 year No. 1 \$140 per M	.20	.18	.16
--------------------------	-----	-----	-----

—*korolkowi floribunda*. 10 ft. (Blueleaf Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun.

2 to 3 ft.	.60	.50
3 to 4 ft.	.85	.75

—*maackii*. 10 ft. (Amur Honeysuckle) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-part shade.

2 to 3 ft.	.45	.40
3 to 4 ft.	.50	.45
4 to 5 ft.	.60	.55

—*morrowi*. 8 ft. (Morrow Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

LONICERA — Continued

—morrowi yellow fruited. 8 ft. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.	.40	.35	.30
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60
—ruprechtiana. 10 ft. (Manchurian Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-light shade.			
2 to 3 ft.....	.45	.40	
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
—sempervirens. 15 ft. (Scarlet Trumpet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun.			
2 year No. 1.....	.40	.35	.30
3 year No. 1.....	.50	.45	.40
—standishi. 5 ft. Medium loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.50	.45	.40
—syringantha. 4 ft. (Lilac Honeysuckle) Medium loam to silty clay, moist, PH 6.0-7.5, sun.			
18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.60	.55	.50
3 to 4 ft.....	.80	.70	
—tatarica abla. 10 ft. (White Tatarian Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60
—tatarica rosea grandiflora. 10 ft. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60
—tatarica sibirica. 10 ft. (Red Tatarian Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
—zabeli. 10 ft. (New Red) Sandy loam to silty clay, moist., PH 6.0-7.5, sun-part shade.			
2 to 3 ft.....	.40	.35	
3 to 4 ft.....	.45	.40	.35

LYCIUM

—Chinese. 10 ft. (Chinese Matrimony Vine) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.	.35	.30	.25
2 to 3 ft.....	.35	.30	.25
3 to 4 ft.....	.40	.35	.30
4 to 5 ft.....	.50	.45	.40

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

MAGNOLIA

— <i>acuminata</i> . 70 ft. (Cucumber Tree)	Rich, medium loam, moist, well drained, PH 5.0-7.5, sun.		
3 to 4 ft. B&B.....	3.00	2.50	
4 to 5 ft. B&B.....	3.50	3.00	
5 to 6 ft. B&B.....	5.00	4.50	
6 to 8 ft. B&B.....	7.50	7.00	
8 to 10 ft. B&B.....	12.00	10.00	
— <i>soulangeana</i> . 18 ft. (Saucer Magnolia)	Rich, medium loam, moist, well drained, PH 5.5-7.0, sun-part shade.		
5 to 6 ft. B&B.....	12.00	10.00	
6 to 8 ft. B&B.....	17.50	15.00	
Broad, transplanted specimen, width equals height, dug with 36 inch balls.			
8 to 10 ft. B&B Spec.....	40.00	35.00	
10 to 12 ft. B&B.....	50.00	45.00	
— <i>soulangeana</i> . Tree Form. 20 ft.	Same as above.		
5 to 6 ft. B&B.....	12.00	10.00	
6 to 8 ft. B&B.....	25.00	20.00	
8 to 10 ft. B&B.....	30.00	25.00	
10 to 12 ft. B&B.....	40.00	35.00	
— <i>soulangeana nigra</i> . 18 ft. (Dark Red)	Rich medium loam, moist, well drained, PH 5.5-7.0, sun-part shade.		
6 to 8 ft. B&B Spec.....	30.00		
— <i>stellata</i> . 8 ft. (Star Magnolia)	Rich, medium loam, moist, well drained, PH 5.5-7.0, sun-partial shade.		
4 to 5 ft. B&B.....	12.00	10.00	
5 to 6 ft. B&B.....	15.00	12.50	
6 to 8 ft. B&B.....	20.00	15.00	
6 to 8 ft. B&B Spec.....	30.00		
— <i>virginiana (glauca)</i> . 20 ft. (Sweet Bay)	Rich, medium loam, moist, PH 5.0-6.5, sun-part shade.		
5 to 6 ft. B&B.....	5.50	5.00	
6 to 8 ft. B&B.....	9.00	8.00	
8 to 10 ft. B&B.....	12.00	10.00	
10 to 12 ft. B&B.....	15.00	12.50	

MALUS

— <i>arnoldiana</i> . 10 ft. (Arnold Crab)	Semi-double pink flowers, small yellow fruit. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.		
2 to 3 ft.....	.75	.60	
3 to 4 ft.....	1.00	.75	
4 to 5 ft.....	1.25	1.00	
5 to 6 ft.....	1.75	1.50	
6 to 8 ft.....	2.25	2.00	
— <i>coronaria</i> . 15 ft. (Wild Sweet Crab)	Clustered rose-pink flowers, yellowish fruits. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.		
5 to 6 ft.....	1.75	1.50	
6 to 8 ft.....	2.25	2.00	
8 to 10 ft.....	3.00	2.50	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

MALUS — Continued

—***floribunda***. 18 ft. (Japanese Flowering Crab) Rose-red flowers, small red fruit. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

4 to 5 ft.	1.50	1.25
5 to 6 ft.	1.75	1.50
6 to 8 ft.	2.25	2.00
8 to 10 ft.	3.00	2.50
10 to 12 ft.	5.00	4.00

—***floribunda atrosanguinea***. 20 ft. (Carmine Crab) Late flowering, buds and flowers deep red, small, yellow fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

2 to 3 ft.	.75	.60
3 to 4 ft.	1.00	.75
5 to 6 ft.	1.75	1.50
6 to 8 ft.	2.25	2.00

—***floribunda lemoini***. 15 ft. Deep pink flowers, yellow fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

4 to 5 ft.	1.50	1.25
5 to 6 ft.	1.75	1.50

—***hopa***. 12 ft. (Red Flowering Crab) Rosy-crimson flowers, round, red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

3 to 4 ft.	1.15	1.00
4 to 5 ft.	1.50	1.25
5 to 6 ft.	1.75	1.50
6 to 8 ft.	2.25	2.00

—***halliana parkmannii***. (Parkman's Crab). Semi-double rose-pink flowers, sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

4 to 5 ft.	2.00	1.75
5 to 6 ft.	2.50	2.25

—***ioensis***. 20 ft. (Prairie Crab) Single pink flowers, greenish-fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

6 to 8 ft.	2.25	2.00
8 to 10 ft.	3.50	3.00

—***ioensis plena***. 12 ft. (Bechtel's Crab) Double pink flowers, very showy, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

3 to 4 ft.	1.15	1.00
4 to 5 ft.	1.50	1.35
5 to 6 ft.	2.00	1.75
6 to 8 ft.	3.00	2.50

—***niedzwetzkyana***. 12 ft. (Redvein Crab) Purplish leaves, deep pink flowers, purple fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

3 to 4 ft.	1.15	1.00
4 to 5 ft.	1.50	1.25
5 to 6 ft.	1.75	1.50
6 to 8 ft.	2.25	2.00
8 to 10 ft.	3.50	3.00

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

MALUS — Continued

—*purpurea*. 20 ft. (Purple Crab). Purple leaves, red flowers, dark red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

3 to 4 ft.	1.15	1.00
4 to 5 ft.	1.50	1.25
5 to 6 ft.	1.75	1.50
6 to 8 ft.	2.25	2.00
8 to 10 ft.	3.50	3.00

—*purpurea eleyi*. 20 ft. (Eley Crab). Deep red flowers, large, edible red fruit, sandy loam to silty clay, moist. PH 6.0-7.5, sun-partial shade.

3 to 4 ft.	1.00	.75
4 to 5 ft.	1.50	1.25
5 to 6 ft.	1.75	1.50
6 to 8 ft.	2.25	2.00
8 to 10 ft.	3.00	2.50

—*sargentii*. 8 ft. (Sargent Crab) Sharptoothed leaves, white flowers, dark red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

3 to 4 ft.	1.25	1.15
4 to 5 ft.	1.75	1.50
5 to 6 ft.	2.00	1.75

—*scheideckeri*. 20 ft. (Scheidecker Crab). Double pink flowers, orange fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

3 to 4 ft.	1.00	.75
4 to 5 ft.	1.75	1.50
5 to 6 ft.	2.00	1.75
6 to 8 ft.	2.25	2.00

—*seiboldii*. 15 ft. (Toringo Crab) Blush pink flowers, yellowish red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

4 to 5 ft.	1.50	1.25
5 to 6 ft.	1.75	1.50
6 to 8 ft.	2.25	2.00

—*spectabilis*. 15 ft. (Chinese Crab). Coral-rose flowers, small, yellow fruit, medium loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

3 to 4 ft.	1.00	.75
4 to 5 ft.	1.50	1.25
5 to 6 ft.	1.75	1.50
6 to 8 ft.	2.25	2.00
8 to 10 ft.	3.00	2.50

—*theifera*. 18 ft. (Tea Crab). Flowers white, tinted pale pink. One of the best of the flowering crabs in cultivation, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

3 to 4 ft.	1.15	1.00	
4 to 5 ft.	1.50	1.35	1.25
5 to 6 ft.	2.25	2.00	1.75
6 to 8 ft.	3.00	2.75	2.50
8 to 10 ft.	3.50	3.00	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

MAHONIA

—*acquifolium*. 5 ft. (Oregon Hollygrape). Sandy to medium loam, dry-moist, PH 6.0-7.5, partial shade.

12 to 15 in. B&B.....	1.50	1.25
15 to 18 in. B&B.....	1.75	1.50
18 to 24 in. B&B.....	2.50	2.00

MORUS

—*new American*. 40 ft., large fruiting, grafted, sandy loam to clay, moist, PH 6.0-7.5, sun.

5 to 6 ft.....	2.00	1.50
6 to 8 ft.....	2.50	2.00

MYRICA

—*carolinensis*. 5 ft. (Northern Bayberry) sandy to medium loam, well drained, dry-moist, PH 5.0-6.5, sun-part shade.

12 to 15 in.....	.60	.50
15 to 18 in.....	.70	.60

—*cerifera*. 5 ft. (Southern Waxmyrtle) sandy to medium loam, well drained, dry-moist, PH 5.5-7.0, sun-part shade.

12 to 15 in.....	.60	.50
15 to 18 in.....	.70	.60

—*gale*. 4 ft. (Sweetgale) Sandy to medium loam, well drained, PH 5.5-7.0, sun, part shade.

15 to 18 in.....	.75	.60
18 to 24 in.....	1.00	.85

NYSSA

—*sylvatica*. 40 ft. (Tupelo), rich, medium loam, moist, PH 5.5-6.5, sun-partial shade.

2 to 3 ft. B&B.....	3.00	2.50
3 to 4 ft. B&B.....	4.00	3.50
4 to 5 ft. B&B.....	5.00	4.50
5 to 6 ft. B&B.....	6.00	5.50

OSTRYA

—*virginiana*. 40 ft. (American Hophornbeam) Medium moist loam, PH 6.0-7.5, shade or sun.

3 to 4 ft.....	1.50	1.25
4 to 5 ft.....	2.00	1.75

OXYDENDRON

—*arboreum*. 30 ft. (Sourwood), high organic content loam, moist, well drained, PH 5.5-6.5, sun-partial shade.

2 to 3 ft.....	1.25	1.00
3 to 4 ft.....	1.75	1.50
4 to 5 ft.....	2.50	2.00
5 to 6 ft.....	3.50	3.00
6 to 8 ft.....	4.50	4.00
8 to 10 ft.....	6.50	6.00

PACHYCANDRA

—*terminalis*. 1 ft. (Japanese Spurge), medium to silty clay, moist, PH 5.0-7.0, partial shade to shade.

2 year from pots, Per M \$100	.16	.14	.12
-------------------------------	-----	-----	-----

PARTHENOCISSUS (Ampelopsis)

—*quinquifolia*. 40 ft. (Virginia Creeper) Medium loam, moist, PH 6.0-7.5, sun or part shade.

2 year30	.25	.20
3 year35	.30	.25

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

PARTHENOCISSUS (Ampelopsis) — Continued

—*quinquifolia engelmanni*. 40 ft. (Engelmann Creeper)
Medium loam, moist, PH 6.0-7.5, sun or part shade.

2 year	.30	.25	.20
3 year	.35	.30	.25

—*tricuspidata veitchii*. 50 ft. (Boston Ivy) Medium loam, moist, PH 6.0-7.5, sun or part shade.

2 year medium	.35	.30	.25
2 year No. 1	.40	.35	.30

PHILADELPHUS

—*albatre*. 6 ft. Sandy loam to silty clay, moist, PH 6.0-7.5, sun or light shade.

2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.50	.45	.40

—*avalanche*. 6 ft., sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade.

2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50

—*banniere*. 8 ft., sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade.

2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50

—*coronarius*. 9 ft. (Sweet Scented Mockorange) sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60
6 to 8 ft.	1.00	.90	.75

—*coronarius aureus*. 5 ft. (Golden Mockorange), sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade.

9 to 12 in.	.35	.30	.25
12 to 15 in.	.45	.40	.35
15 to 18 in.	.50	.45	.40

—*glacier*. 6 ft. Sandy loam to silty clay, moist, PH 6.0-8.0, sun.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35

—*gordonianus*. 10 ft. (Gordon Mockorange), sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60

—*grandiflorus*. 12 ft. (Big Scented Mockorange) Sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60
6 to 8 ft.	1.00	.90	.75

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

PHILADELPHUS — Continued

—lemoinei erectus. 5 ft. (Lemoine Mockorange) Sandy loam to silty clay, moist, PH 6.0-8.0, sun-partial shade.			
18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.60	.55	.50
—mt. blanc. 10 ft. Sandy loam to silty clay, moist, PH 6.0-8.0, sun.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50
—nivalis. 7 ft. (Snowbank Mockorange) Sandy loam to silty clay, moist, PH 6.0-8.0, sun-partial shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
—norma. 8 ft. Sandy loam to silty clay, moist, PH 6.0-8.0, sun, part shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
—pyramidalis. 6 ft. Sandy loam to silty clay, moist, PH 6.0-8.0, sun.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50
—virginal. 8 ft. (Double White) Sandy loam to silty clay, moist, PH 6.0-7.0, sun.			
18 to 24 in.....	.45	.40	.35
2 to 3 ft.....	.55	.50	.45
3 to 4 ft.....	.65	.60	.55

PHILLODENDRON

—amurense. 50 ft. (Amour cork tree) Sandy loam to clay, dry-moist, PH 6.0-7.5, sun.			
4 to 5 ft.....	1.25	1.00	
5 to 6 ft.....	1.50	1.25	
6 to 8 ft.....	1.75	1.50	
1½ to 2 in.....	3.00	2.50	

PHOTINA

—villosa. 12 ft. (Christmasberry) Rich, medium loam, moist, PH 6.0-7.5, sun-partial shade.			
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	1.00	.90	.80
—laevis. 15 ft. Rich, medium loam, moist, PH 6.0-7.5, sun-partial shade.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50

PHYSOCARPUS

—monogynus. 5 ft. (Dwarf Ninebark) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-medium shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

PHYSOCARPUS — Continued

—*opulifolia*. 10 ft. (Ninebark) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-med. shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50

—*opulifolius lutens*. 10 ft. (Goldleaf Ninebark) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-medium shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60

—*opulifolius nanus*. 5 ft. Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-medium shade.

2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50

PICEA

—*canadensis*. 50 ft. (White Spruce) Medium loam, moist, PH 5.0-6.5, sun-slight shade.

18 to 24 in. B&B	2.25	2.00	1.75
2 to 3 ft. B&B	3.00	2.75	2.50
3 to 4 ft. B&B	4.00	3.75	3.50
4 to 5 ft. B&B	5.00	4.75	4.50
5 to 6 ft. B&B	6.50	6.00	

—*canadensis albertiana*. 60 ft. (Black Hills Spruce) Medium loam, PH 5.0-6.5, sun-slight shade.

18 to 24 in. B&B	2.25	2.00	1.75
2 to 3 ft. B&B	3.00	2.75	2.50
3 to 4 ft. B&B	4.00	3.75	3.50
4 to 5 ft. B&B	5.00	4.75	4.50
5 to 6 ft. B&B	6.50	6.00	

—*excelsa*. 75 ft. (Norway Spruce) Medium loam, moist, PH 5.0-6.5, sun-slight shade.

18 to 24 in. B&B	1.25	1.15	1.00
2 to 3 ft. B&B	2.25	2.00	1.75
3 to 4 ft. B&B	3.50	3.25	3.00
4 to 5 ft. B&B	5.00	4.50	4.00
5 to 6 ft. B&B	6.00	5.50	5.00
6 to 8 ft. B&B	9.00	8.50	8.00

—*pungens*. 60 ft. (Colorado Spruce) Medium loam, moist, PH 5.0-6.5, sun-slight shade.

18 to 24 in. B&B	2.75	2.50	
2 to 3 ft. B&B	4.00	3.50	
3 to 4 ft. B&B	6.00	5.50	

—*pungens glauca*. 60 ft. (Colorado Blue Spruce) Medium loam, moist, PH 5.0-6.5, sun.

18 to 24 in. B&B	4.00	3.50	3.00
2 to 3 ft. B&B	6.00	5.50	5.00
3 to 4 ft. B&B	7.50	7.00	

—*pungens kosteri*. 60 ft. (Kosters Blue Spruce) Medium loam, moist, PH 5.0-6.5, sun.

7 to 8 ft. specimen B&B	35.00	30.00	
8 to 9 ft. specimen B&B	40.00	35.00	
9 to 10 ft. specimen B&B	50.00	45.00	
10 to 11 ft. specimen B&B	60.00	55.00	
11 to 12 ft. specimen B&B	70.00	65.00	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

PICEA — Continued

—pungens moerheimi. 40 ft. (Moerheimi Blue Spruce)			
medium loam, moist, PH 5.0-6.5, sun.			
15 to 18 in. B&B.....	4.50	4.00	
18 to 24 in. B&B.....	6.00	5.00	
24 to 30 in. B&B.....	7.00	6.00	
30 to 36 in. B&B.....	10.00	8.00	
7 to 8 ft. B&B Spec.....	37.50	35.00	
8 to 9 ft. B&B Spec.....	42.50	40.00	
9 to 10 ft. B&B Spec.....	55.00	50.00	
10 to 11 ft. B&B Spec.....	65.00	60.00	
11 to 12 ft. B&B Spec.....	75.00	70.00	
12 to 14 ft. B&B Spec.....	85.00	80.00	

PIERIS

—floribunda. 3 ft. (Mountain Andromeda) Woodsy			
peaty loam, moist, well drained, PH 5.0-6.0,			
partial shade.			
12 to 15 in. B&B.....	2.50	2.00	
15 to 18 in. B&B.....	3.50	3.00	

—japonica. 4 ft. (Japanese Andromeda) Woodsy or			
peaty loam, moist, well drained, PH 5.0-6.0,			
partial shade.			
15 to 18 in. B&B.....	4.00	3.50	

—mariana. 5 ft. (Staggerbush) Woodsy or peaty loam,			
moist, well drained, PH 5.0-6.0, sun-partial			
shade.			
15 to 18 in. B&B.....	2.00	1.75	1.50
18 to 24 in. B&B.....	2.50	2.25	2.00
24 to 30 in. B&B.....	3.00	2.75	2.50
30 to 36 in. B&B.....	3.50	3.00	

PINUS

—densiflora. 60 ft. (Japanese Red Pine) Sandy loam			
to silty clay, dry-moist, PH 5.0-6.5, sun.			
3 to 4 ft. B&B.....	3.50	3.25	3.00
4 to 5 ft. B&B.....	5.00	4.75	4.50

—montana. 10 ft. (Swiss Mountain Pine) Sandy loam			
to silty clay, dry-moist, PH 5.5-7.0.			
18 to 24 in. B&B.....	2.50	2.00	
24 to 30 in. B&B.....	3.00	2.50	
30 to 36 in. B&B.....	3.50	3.00	
3 to 4 ft. B&B.....	6.00	5.00	

—montana mughus. 4 ft. (Dwarf Mountain Pine) Sandy			
loam to silty clay, dry-moist, PH 5.5-7.0, sun-			
slight shade.			

9 to 12 in. B&B.....	1.50	1.35	1.25
12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.50	2.25	2.00
18 to 24 in. B&B.....	3.00	2.75	2.50
24 to 30 in. B&B.....	3.50	3.00	
30 to 36 in. B&B.....	5.50	5.00	
3 to 3½ ft. B&B.....	6.50	6.00	
3½ to 4 ft. B&B.....	7.50	7.00	

—nigra austriaca. 60 ft. (Austrian Pine) Sandy loam			
to silty clay, dry-moist, PH 5.5-7.0, sun.			
2 to 3 ft. B&B.....	4.00	3.50	3.00
4 to 5 ft. B&B.....	6.00	5.75	5.50

		Each 1-4	Each 5-24	Each 25-up
PINUS — nigra austriaca — Continued				
6 to 8 ft. B&B	15.00	13.00	12.00	
8 to 10 ft. B&B	20.00	18.00		
10 to 12 ft. B&B	25.00	20.00		
—resinosa. 50 ft. (Red Pine) Sandy loam to silty clay, dry-moist, PH 5.5-7.0, sun.				
3 to 4 ft. B&B	3.50	3.25	3.00	
4 to 5 ft. B&B	6.00	5.75		
5 to 6 ft. B&B	9.00	8.00		
—sylvestris. 75 ft. (Scotch Pine) Sandy loam to silty clay, dry-moist, PH 5.5-7.0, sun-partial shade.				
2 to 3 ft. B&B	3.00	2.75	2.50	
3 to 4 ft. B&B	3.50	3.25	3.00	
4 to 5 ft. B&B	5.00	4.75	4.50	
5 to 6 ft. B&B	6.50	6.25	6.00	
6 to 8 ft. B&B	12.00	11.00	10.00	
8 to 10 ft. B&B	16.00	15.00	14.00	
10 to 12 ft. B&B	20.00	18.00		
PLATANUS				
—occidentalis. 75 ft. (American Sycamore) Medium loam to silty clay, moist, PH 6.0-7.5, sun.				
6 to 8 ft.	1.50	1.35	1.25	
8 to 10 ft.	2.25	2.00	1.75	
2 to 2½ in.	5.00	4.50		
2½ to 3 in.	7.00	6.50		
3 to 3½ in.	10.00	9.00		
—orientalis. 70 ft. (European Sycamore) Medium loam to silty clay, moist, well drained, PH 6.0-7.5, sun.				
6 to 8 ft.	2.00	1.75	1.50	
8 to 10 ft.	2.50	2.25	2.00	
1¼ to 1½ in.	3.00	2.50	2.25	
1½ to 1¾ in.	3.50	3.25	3.00	
1¾ to 2 in.	5.50	5.00	4.50	
2 to 2½ in.	6.50	6.00	5.50	
2½ to 3 in.	9.00	8.50	8.00	
3 to 3½ in.	12.00	11.00	10.00	
3½ to 4 in.	14.00	13.00	12.00	
4 to 5 in.	20.00	18.00		
POLYGONUM				
—auberti. 25 ft. (Silver lace Vine) sandy loam to silty clay, moist, well drained, PH 6.0-7.5, sun-partial shade.				
2 yr. No. 1, \$200.00 per M.	.35	.30	.25	
POPULUS				
—bolleana. 50 ft. (Silver Poplar) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun.				
6 to 8 ft.	1.25	1.15	1.00	
8 to 10 ft.	1.75	1.50	1.25	
2½ to .3 in.	6.50	6.00		
3 to 3½ in.	10.00	9.00	8.00	
3½ to 4 in.	12.00	11.00	10.00	
—nigra italica. 75 ft. (Lombardy Poplar) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun.				
6 to 8 ft.	.80	.70	.60	
8 to 10 ft.	1.00	.85	.75	
10 to 12 ft.	1.25	1.15	1.00	
1½ to 1¾ in.	1.50	1.35	1.25	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

POPULUS — nigra italica — Continued

1 3/4 to 2 in.	2.25	2.00	1.75
2 to 2 1/2 in.	3.00	2.75	2.50
2 1/2 to 3 in.	5.00	4.50	4.00
—simoni. 30 ft. (Simon Poplar) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun.			
6 to 8 ft.	1.25	1.15	1.00
8 to 10 ft.	1.50	1.35	1.25

PRUNUS

—americana. 20 ft. (American Plum) Medium loam to silty clay, moist, PH 6.0-7.5, sun.	.75	.65	
4 to 5 ft.	.75	.65	
5 to 6 ft.	.90	.75	
6 to 8 ft.	1.25	1.00	
—besseyi. 7 ft. (Bessey Cherry) sandy to medium loam, dry-moist, PH 6.0-7.5, sun-part shade.			
2 to 3 ft.	.45	.40	
3 to 4 ft.	.60	.50	
4 to 5 ft.	.75	.60	
—cistina. 10 ft. (Hansen's Purpleleaved Plum) sandy loam to silty clay, moist, PH 6.0-7.5, sun.			
3 to 4 ft.	.75	.60	
4 to 5 ft.	.90	.75	
5 to 6 ft.	1.25	1.00	
6 to 8 ft.	1.50	1.25	
—cerasifera pissardi. 12 ft. (Purpleleaved Plum) sandy loam to silty clay, moist, PH 6.0-7.5, sun.			
2 to 3 ft.	.60	.50	
3 to 4 ft.	.75	.65	
4 to 5 ft.	.90	.75	
—glandulosa sinensis. 5 ft. (Double Pink Flowering Almond) sandy loam to silty clay, moist, PH 6.0-7.5, sun.			
18 to 24 in.	.45	.40	
2 to 3 ft.	.60	.50	
—glandulosa albiplena. 5 ft. (Double White Flowering Almond) Own root, sandy loam to silty clay, moist, PH 6.0-7.5, sun.			
18 to 24 in.	.45	.40	
2 to 3 ft.	.60	.50	
—maritima. 12 ft. (Beech Plum) sandy to sandy loam, dry-moist, PH 6.0-7.5, sun.			
18 to 24 in.	.45	.40	
2 to 3 ft.	.60	.50	
3 to 4 ft.	1.00	.75	
—padus. 20 ft. (European Bird Cherry) sandy to silty loam, moist, PH 6.0-7.5, sun-slight shade.			
5 to 6 ft.	1.25	1.00	
6 to 8 ft.	2.00	1.50	
—pennsylvanicum. 25 ft. (Pin Cherry) Sandy to silty loam, moist, PH 5.5-7.0, sun-slight shade.			
4 to 5 ft.	.60	.50	
5 to 6 ft.	1.00	.85	.75
6 to 8 ft.	1.25	1.15	1.00
8 to 10 ft.	1.75	1.50	1.25
10 to 12 ft.	2.50	2.25	2.00

PRUNUS — Continued

Each	Each	Each
1-4	5-24	25-up

—persica. 10 ft. (Double Flowering Peach) Medium loam, moist, PH 6.0-7.5.

alboplena

rubroplena

3 to 4 ft..... 1.25 1.00

4 to 5 ft..... 1.50 1.25

—pumila. 5 ft. (Sand Cherry) sandy to sandy loam, dry-moist, PH 6.0-7.5, sun-part shade.

18 to 24 in..... .40 .35

2 to 3 ft..... .60 .50

3 to 4 ft..... .75 .60

4 to 5 ft..... 1.00 .85 .75

—serotina. 60 ft. (Black Cherry) sandy to silty loam, moist, PH 6.0-7.5, sun-partial shade.

4 to 5 ft..... .60 .55 .50

5 to 6 ft..... 1.00 .85 .75

6 to 8 ft..... 1.25 1.15 1.00

8 to 10 ft..... 1.75 1.50 1.25

—tomentosa. 10 ft. (Nanking Cherry) sandy to silty loam, moist, PH 6.0-7.5, sun-partial shade.

18 to 24 in..... .40 .35

2 to 3 ft..... .60 .50

3 to 4 ft..... .70 .60

—triloba plena. 10 ft. (Flowering Plum) Medium loam, moist, PH 6.0-7.5, sun.

15 to 18 in..... .50 .40

18 to 24 in..... .60 .50

—virginiana. 30 ft. (Common Chokeberry) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

5 to 6 ft..... 1.00 .85 .75

6 to .8 ft..... 1.25 1.15 1.00

The following Japanese flowering cherries are available in the following grades:

—amanogawa — semi-double pink, sandy loam to silty loam, moist, well drained, PH 6.0-7.5, sun.

8 to 10 ft..... 6.00 5.00

—james veitch — double blush pink, sandy loam to silty loam, moist, well drained, PH 6.0-7.5, sun.

10 to 12 ft..... 9.00 8.00

—naden — double pink, sandy loam to silty clay, moist, well drained, PH 6.0-7.5, sun.

10 to 12 ft..... 9.00 8.00

—seiboldi — double pink, sandy loam to silty clay, moist, well drained, PH 6.0-7.5, sun.

10 to 12 ft..... 9.00 8.00

—yoshino — blush pink to white, sandy loam to silty clay, moist, well drained PH 6.0-7.5, sun.

6 to 8 ft..... 3.00 2.50

8 to 10 ft..... 6.00 5.00

PSEUDOTSUGA

—taxifolia (Douglas). 75 ft. (Douglas Fir) light to medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2 to 3 ft. B&B..... 3.50 3.25 3.00

3 to 4 ft. B&B..... 5.00 4.50 4.00

4 to 5 ft. B&B..... 7.00 6.50 6.00

5 to 6 ft. B&B..... 9.00 8.00

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

PTELEA

—trifoliata. 20 ft. (Hoptree)	sandy to medium loam, moist, PH 6.0-7.5, sun-partial shade.		
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.70	.60	.50
5 to 6 ft.	.80	.70	.60
6 to 8 ft.	1.00	.90	.75

PYRACANTHA

—coccinea lalandi. 6 ft. (Firethorn)	medium to heavy loam, moist, well drained, PH 6.0-7.5, sun- shade.		
12 to 15 in. B&B	2.00	1.50	
15 to 18 in. B&B	2.50	2.00	

QUERCUS

—alba. 65 ft. (White Oak)	rich, medium loam, moist, well drained, PH 5.5-7.0, sun.		
6 to 8 ft.	2.50	2.25	2.00
8 to 10 ft.	3.25	3.00	2.75
1½ to 1½ in.	4.00	3.75	3.50
1½ to 1¾ in.	5.00	4.75	4.50
1¾ to 2 in.	7.00	6.50	6.00
2 to 2½ in.	9.00	8.50	8.00
2½ to 3 in.	12.00	11.00	10.00
3 to 3½ in.	15.00	13.00	12.00
3½ to 4 in.	20.00	17.50	

—bicolor. 60 ft. (Swamp White Oak)	medium to silty loam, moist, PH 6.0-7.0, sun.		
8 to 10 ft.	3.25	3.00	2.75
1¼ to 1½ in.	4.00	3.75	
1½ to 1¾ in.	5.00	4.50	
2 to 2½ in.	9.00	8.50	

—borealis (rubra) 70 ft. (Northern Red Oak)	Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.		
6 to 8 ft.	2.25	2.00	1.75
8 to 10 ft.	2.75	2.50	2.25
1¼ to 1½ in.	3.50	3.25	3.00
1½ to 1¾ in.	5.00	4.50	4.00
1¾ to 2 in.	6.00	5.50	5.00
2 to 2½ in.	8.00	7.50	7.00
2½ to 3 in.	10.00	9.00	8.00
3 to 3½ in.	14.00	13.00	12.00
3½ to 4 in.	16.00	15.00	14.00
4 to 5 in.	30.00	25.00	
6, 7 and 8 in., price on request			

—coccinea. 75 ft. (Scarlet Oak)	porous gravelly to med- ium loam, moist, well drained, PH 6.0-7.0, sun.		
1¾ to 2 in.	6.50	6.00	5.50
2 to 2½ in.	8.50	8.00	
2½ to 3 in.	12.00	10.00	
3 to 3½ in.	16.00	14.00	
3½ to 4 in.	18.00	16.00	

—lyrata. 70 ft. (Overcup Oak)	sandy to medium loam, moist, PH 6.0-7.0, sun.		
8 to 10 ft.	3.25	3.00	2.75
1¼ to 1½ in.	4.00	3.75	3.50
2 to 2½ in.	9.00	8.00	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

QUERCUS — Continued

—**macrocarpa.** 75 ft. (Bur Oak) Medium loam, moist, well drained, PH 5.5-7.0, sun.

1¾ to 2 in.	7.00	6.50	6.00
2 to 2½ in.	9.00	8.50	8.00
2½ to 3 in.	12.00	11.00	10.00
3 to 3½ in.	15.00	13.00	12.00

—**palustris.** 70 ft. (Pin Oak) rich, medium loam, moist, well drained, PH 5.5-6.5, sun.

6 to 8 ft.	2.00	1.75	1.50
8 to 10 ft.	2.75	2.50	2.25
1¼ to 1½ in.	3.25	3.00	2.75
1½ to 1¾ in.	4.00	3.75	3.50
1¾ to 2 in.	5.00	4.50	4.00
2 to 2½ in.	7.00	6.50	6.00
2½ to 3 in.	9.00	8.50	8.00
3 to 3½ in.	12.00	11.00	10.00
3½ to 4 in.	17.00	16.00	15.00
4 to 5 in.	25.00	22.50	20.00

6, 7 and 8 inch, price on request

—**phellos.** 45 ft. (Willow Oak) medium loam to silty loam, moist, well drained, PH 5.5-6.5, sun.

8 to 10 ft.	3.00	2.75
2 to 2½ in.	10.00	8.00

—**robur fastigiata.** 40 ft. (Pyramidal English Oak) medium loam, moist, well drained, PH 6.0-7.0, sun.

6 to 8 ft. B&B	12.00	11.00	10.00
1¼ to 1½ in. B&B	15.00	14.00	13.00
1½ to 1¾ in. B&B	20.00	17.50	15.00
1¾ to 2 in. B&B	25.00	22.50	20.00
2 to 2½ in. B&B	30.00	27.50	25.00
2½ to 3 in. B&B	35.00	32.50	30.00
3 to 3½ in. B&B	45.00	40.00	
3½ to 4 in. B&B	60.00	50.00	

—**valutina.** 70 ft. (Black Oak) medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

6 to 8 ft.	2.50	2.25	2.00
8 to 10 ft.	3.25	3.00	2.75
1¼ to 1½ in.	4.00	3.75	
1½ to 1¾ in.	5.00	4.50	

RHAMNUS

—**carthartica.** 12 ft. (Buckthorn) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-partial shade.

2 to 3 ft.	.35	.30	.25
3 to 4 ft.	.40	.35	.30
4 to 5 ft.	.60	.50	

—**frangula.** 10 ft. (Glossy Buckthorn) sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

2 to 3 ft.	.35	.30	.25
3 to 4 ft.	.40	.35	.30
4 to 5 ft.	.50	.45	.40

—**purshiana.** 12 ft. (Cascara Buckthorn) sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

18 to 24 in.	.25	.22	.20
2 to 3 ft.	.35	.30	
3 to 4 ft.	.45	.40	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

RHODODENDRON

— <i>catawbiense</i> .	6 ft. (Nursery Grown Catawba Rhododendron)	woodsy or peaty loam, moist, well drained, PH 4.5-6.0, sun-partial shade.			
24 to 30 in.	B&B	4.50	4.00		
30 to 36 in.	B&B	5.50	5.00		
3 to 4 ft.	B&B	6.50	6.00		
— <i>catawbiense grandiflora grafted</i> .	6 ft. woodsy or peaty loam, moist, well drained, PH 4.5-6.5, sun-partial shade.				
18 to 24 in.	B&B	5.50	5.00	4.50	
24 to 30 in.	B&B	6.50	6.00	5.50	
— <i>maximum collected</i> .	10 ft. (Rosebay Rhododendron)	woodsy or peaty loam, moist, well drained, PH 4.5-6.0, partial shade.			
24 to 30 in.	B&B	4.00	3.50		
30 to 36 in.	B&B	5.00	4.50		
3 to 4 ft.	B&B	6.00	5.50		
— <i>hybrid seedlings</i> .	Mixed colors 6 ft.	woodsy or peaty loam, moist, well drained, PH 4.5-6.0, sun-partial shade.			
15 to 18 in.	B&B	3.50	3.00		
18 to 24 in.	B&B	4.50	4.00		

RHODOTYPOS

— <i>scandens (kerroides)</i> .	6 ft. (Jetbead)	rich, medium loam, moist, well drained, PH 6.0-7.5, sun-shade.			
18 to 24 in.		.40	.35	.30	
2 to 3 ft.		.50	.45	.40	
3 to 4 ft.		.60	.50		

RHUS

— <i>canadensis</i> .	6 ft. (Fragrant Sumac)	sandy to medium loam, dry, good drainage, PH 6.0-7.5, sun-partial shade.			
18 to 24 in.		.30	.25	.20	
2 to 3 ft.		.45	.40	.35	
3 to 4 ft.		.50	.45	.40	
4 to 5 ft.		.60	.55	.50	
— <i>copallina</i> .	12 ft. (Shining Sumac)	sandy to medium loam, dry-good drainage, PH 5.5-7.0, sun.			
2 to 3 ft.		.40	.35	.30	
3 to 4 ft.		.50	.45	.40	
4 to 5 ft.		.60	.55	.50	
— <i>cotinus</i> .	12 ft. (Purple Fringe)	medium loam, moist, well drained, PH 6.0-7.5, sun.			
4 to 5 ft.		1.00	.90	.80	
5 to 6 ft.		1.50	1.25		
— <i>glabra</i> .	12 ft. (Smooth Sumac)	sandy to medium loam, dry-moist, PH 5.0-7.0, sun.			
2 to 3 ft.		.25	.22	.20	
3 to 4 ft.		.30	.27	.25	
4 to 5 ft.		.45	.40	.35	
— <i>typhina</i> .	15 ft. (Staghorn Sumac)	sandy to medium loam, dry-moist, PH 5.0-7.0, sun.			
2 to 3 ft.		.25	.22	.20	
3 to 4 ft.		.30	.27	.25	
4 to 5 ft.		.45	.40	.35	
5 to 6 ft.		.50	.45	.40	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

RIBES

—alpinum. 5 ft. (Mountain Currant) sandy to silty clay loam, moist, well drained, PH 6.0-7.5, sun-shade.			
12 to 15 in.....	.40	.35	.30
15 to 18 in.....	.45	.40	.35
—aureum. 8 ft. (Golden Currant) sandy to silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.			
2 to 3 ft.....	.40	.35	
3 to 4 ft.....	.45	.40	

ROBINA

—hispida. 9 ft. (Rose Acacia) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun.			
2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.55	.50	.45
4 to 5 ft.....	.80	.70	.60
—pseudoacacia. 55 ft. (Common Locust) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun.			
6 to 8 ft.....	1.25	1.15	1.00
8 to 10 ft.....	1.75	1.50	1.25
1½ to 1¾ in.....	3.00	2.50	
1¾ to 2 in.....	3.50	3.00	
—viscosa. 10 ft. (Clammy Locust) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun.			
3 to 4 ft.....	.55	.50	.45
4 to 5 ft.....	.80	.70	.60

ROSES**Hybrid Tea and Everblooming**

No. 1 grade	1-9, each .80; 10 and up, each .75
—Betty Uprichard — pink	
—Briarcliff — Columbia pink	
—Condessa de Sastago — coppery pink	
—C. K. Douglas — brilliant light crimson	
—Cynthia — light red	
—Editor McFarland — pink, suffused yellow	
—Etoile de Holland — dark, velvety red	
—F. K. Druschki — snowy white	
—Grenoble — Scarlet crimson	
—Hadley — red	
—K. A. Victoria — snowy white	
—Konigin Louise — fragrant white	
—Marcia Stanhope — fragrant white	
—McGreedy's scarlet — scarlet	
—McGreedy's yellow — buttercup yellow	
—Miss Rowena Thom — satiny pink with gold base	
—Pres. H. Hoover — marron, orange and gold	
—Rouge Mallerin — deep red	
—Souer Therese — rich yellow	
—Souv. de C. Pernet — yellow	
—Talisman — golden yellow, stained copper red	
—Ville de Paris — yellow	
—Yellow Sastago — yellow	

Climbers and Ramblers

No. 1 grade	1-9, each .50; 10 and up, each .40		
—Climb. American Beauty —	rich red to crimson		
—Dr. Van Fleet —	pink		
—Iceland Queen —	pink with pointed individual buds		
—Paul Scarlet —	scarlet		
—Primrose —	canary yellow		

Each Each Each
1-4 5-24 25-up

ROSA

— <i>blanda</i> . 5 ft. (Meadow rose) sandy to silty clay loam, moist, well drained, PH 6.0-7.5.			
18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.50	.45	.40
— <i>humilis</i> . 5 ft. (Pasture Rose) sandy to silty clay loam, moist, well drained, PH 6.0-7.5, sun.			
18 to 24 in.....	.35	.30	
2 to 3 ft.....	.45	.40	
— <i>lucida</i> . 5 ft. (Virginia Rose) sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun-slight shade.			
18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.50	.45	.40
— <i>nitida</i> . 3 ft. (Bristly Rose) sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun.			
18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.50	.45	.40
— <i>palustris</i> . 8 ft. (Swamp Rose) sandy to silty clay loam, moist, PH 6.0-7.0, sun-slight shade.			
18 to 24 in.....	.40	.35	
2 to 3 ft.....	.50	.45	
— <i>rubrifolia</i> . 6 ft. (Redleaf Rose) sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun.			
18 to 24 in.....	.40	.35	
2 to 3 ft.....	.50	.45	
— <i>rugosa alba</i> . (Pure White) sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun-partial shade			
18 to 24 in.....	.40	.35	
2 to 3 ft.....	.50	.45	
— <i>rugosa rubra</i> . (Rose Red) sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun-partial shade.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40
— <i>setigera</i> . 6 ft. (Prairie Rose) sandy to silty clay loam, moist, PH 6.0-7.0, sun-partial shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40
— <i>wichuriana</i> . 2 ft. Sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun or part shade.			
1 year No. 1.....	.30	.25	.20
2 year No. 1.....	.40	.35	.30

RUBUS

— <i>odoratus</i> . 6 ft. (Fragrant Thimbleberry) Sandy to medium loam, dry well drained, PH 6.0-7.5, sun.			
18 to 24 in.....	.40	.35	
2 to 3 ft.....	.45	.40	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

SALIX

— <i>babylonica</i> . 50 ft. (Babylon Weeping Willow) Sandy to medium loam, moist, PH 5.5-7.5, sun.	6 to 8 ft.	1.75	1.50	1.25
	8 to 10 ft.	2.25	2.00	1.75
	1½ to 1½ in.	2.75	2.50	
	1½ to 2 in.	3.50	3.00	
— <i>babylonica salamoni</i> . 50 ft. (Salmon Weeping Willow) sandy to medium loam, moist, PH 5.5-7.5, sun.	6 to 8 ft.	1.75	1.50	1.25
	8 to 10 ft.	2.25	2.00	1.75
	1½ to 1½ in.	2.75	2.50	
	1½ to 1¾ in.	3.50	3.00	
— <i>blanda</i> . 40 ft. (Wisconsin Weeping Willow) sandy to medium loam, moist, PH 5.5-7.5, sun.	6 to 8 ft.	1.75	1.50	1.25
	8 to 10 ft.	2.25	2.00	1.75
	1½ to 1½ in.	2.75	2.50	
	1½ to 1¾ in.	3.50	3.00	
	1¾ to 2 in.	4.00	3.50	
— <i>discolor</i> . 18 ft. (Pussy Willow) sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.	3 to 4 ft.	.40	.35	.30
	4 to 5 ft.	.50	.45	.40
	5 to 6 ft.	.70	.60	.50
	6 to 8 ft.	.90	.80	.75
	8 to 10 ft.	1.25	1.15	1.00
— <i>elegantissima</i> . 60 ft. (Thurlow Willow) sandy to medium loam, moist, PH 6.0-7.5, sun.	6 to 8 ft.	1.50	1.35	1.25
	8 to 10 ft.	2.25	2.00	1.75
	1½ to 1½ in.	2.75	2.50	
	1½ to 1¾ in.	3.50	3.00	
	1¾ to 2 in.	4.00	3.50	
— <i>eleagnos (incana)</i> . 20 ft. (Rosemary Willow) sandy to medium loam, moist, PH 6.0-7.5, sun-partial shade.	2 to 3 ft.	.40	.35	.30
	3 to 4 ft.	.45	.40	.35
	4 to 5 ft.	.60	.55	.50
	5 to 6 ft.	.50	.70	.60
	6 to 8 ft.	1.00	.85	.75
— <i>matsudona tortuosa</i> . 22 ft. (Corkscrew Willow) sandy to medium loam, moist, PH 6.0-7.5, sun.	5 to 6 ft.	1.25	1.15	1.00
	6 to 8 ft.	2.00	1.75	1.50
	8 to 10 ft.	2.50	2.25	2.00
	1½ to 1½ in.	3.00	2.75	2.50
	1½ to 1¾ in.	4.00	3.50	
	1¾ to 2 in.	4.50	4.00	
	2 to 2½ in.	6.00	5.50	
	2½ to 3 in.	7.00	6.50	
— <i>mutabilis</i> . 5 ft. sandy to medium loam, moist, PH 6.0-7.5, sun.	18 to 24 in.	.40	.35	.30
	2 to 3 ft.	.50	.45	.40
	4 to 5 ft.	.80	.70	.65
	5 to 6 ft.	1.00	.90	.80

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

SALIX — Continued

—nigra. 12 ft. (Black Willow) sandy to medium loam, moist, PH 6.0-7.5, sun.	.80	.70	.60
5 to 6 ft.			
6 to 8 ft.	1.00	.90	.75
—niobe. 30 ft. (Golden Weeping Willow) Sandy to medium loam, moist, PH 6.0-7.5, sun.			
6 to 8 ft.	1.75	1.50	1.25
8 to 10 ft.	2.25	2.00	1.75
1½ to 1½ in.	2.75	2.50	
1½ to 1¾ in.	3.50	3.00	
1¾ to 2 in.	4.00	3.50	
—petandra. 25 ft. (Laurelleaved Willow) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
4 to 5 ft.	1.00	.75	
5 to 6 ft.	1.25	1.00	
6 to 8 ft.	1.50	1.35	1.25
8 to 10 ft.	2.00	1.75	1.50
—purpurea nana. 5 ft. (Dwarf Purpleosier Willow) Sandy loam to silty clay, moist, PH 6.0-7.5, sun.			
12 to 15 in.	.40	.35	.30
15 to 18 in.	.50	.45	.40
18 to 24 in.	.60	.55	.50
—vitellina. 30 ft. (Golden Willow) Sandy loam to silty clay, moist, PH 6.0-7.5, sun.			
6 to 8 ft.	1.75	1.50	1.25
8 to 10 ft.	2.25	2.00	1.75
1½ to 1½ in.	3.00	2.50	
1½ to 1¾ in.	3.50	3.00	2.75
1¾ to 2 in.	4.00	3.50	3.25

SAMBUCUS

—canadensis. 10 ft. (American Elder) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50
—canadensis acutiloba. 10 ft. (Cutleaf Elder) Sandy loam to silty clay, moist, PH 6.0-7.5, sun.			
3 to 4 ft.	.45	.40	
4 to 5 ft.	.60	.50	
—nigra. 15 ft. (European Elder) Sandy loam to silty clay, moist, PH 6.5-7.5, sun-partial shade.			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50
—nigra aurea. 15 ft. (Golden European Elder) Sandy loam to silty clay, moist, PH 6.5-7.5, sun-partial shade.			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60
—pubbens. 8 ft. (Scarlet Elder) Sandy loam to silty clay, moist, PH 6.5-7.5, sun-partial shade.			
2 to 3 ft.	.50	.45	
3 to 4 ft.	.60	.50	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

SASSAFRAS

—varifolium. 50 ft. (Sassafras)	Sandy loam to silty clay, moist, PH 5.5-7.5, sun-partial shade.		
6 to 8 ft.	2.50	2.00	
8 to 10 ft.	3.00	2.50	

SOPHORA

—japonica. 20 ft. (Chinese Scholartree)	Medium loam to silty clay, dry-moist, PH 6.0-7.5, sun.		
18 to 24 in. B&B	2.50	2.00	
2 to 3 ft. B&B	3.00	2.50	
3 to 4 ft. B&B	4.00	3.50	

SORBARIA

—atchisoni. 7 ft. (Kashmir False Spirea)	Medium loam, moist, PH 6.0-7.5, sun-partial shade.		
2 to 3 ft.	.40	.35	
3 to 4 ft.	.50	.45	
—sorbifolia. 5 ft. (Ural False Spirea)			
Medium loam, moist, PH 6.0-7.5, sun-partial shade.			
2 to 3 ft.	.40	.35	
3 to 4 ft.	.50	.45	

SORBUS

—aucuparia. 30 ft. (European Mountain Ash)	Medium loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.		
6 to 8 ft.	2.25	2.00	1.75
8 to 10 ft.	2.50	2.25	2.00
1½ to 1½ in.	3.00	2.75	2.50
1½ to 1¾ in.	4.00	3.75	3.50
1¾ to 2 ft.	4.50	4.25	4.00
2 to 2½ in.	5.50	5.00	
2½ to 3 in.	7.00	6.50	
3 to 3½ in.	10.00	9.00	

SPIREA

—anthony waterer. 3 ft. (Dwarf Pink Spirea)	Sandy loam to silty clay, moist, PH 6.0-7.5, sun-slight shade.		
12 to 15 in.	.35	.30	.25
15 to 18 in.	.40	.35	.30
18 to 24 in.	.45	.40	
—arguta. 7 ft. (Garland Spirea)			
Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.50	.45	.40
5 to 6 ft.	.60	.55	.50
—billardi. 5 ft. (Pink Flowering Spirea)			
Sandy to silty clay, dry-moist. PH 6.0-7.5, sun.			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.50	.45	.40
—collosa alba. 2½ ft. (White Japanese Spirea)			
Sandy loam to silty clay, moist, PH 6.0-7.5, sun-slight shade.			
15 to 18 in.	.40	.35	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

SPIREA — Continued

— <i>douglasi</i> . 6 ft. (Red Flowering)	Sandy to silty clay, dry-moist, PH 6.0-7.5, sun.		
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.50	.45	.40
— <i>froebeli</i> . 4 ft. (Dwarf Pink)	Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.		
12 to 15 in.	.35	.30	.25
15 to 18 in.	.40	.35	.30
18 to 24 in.	.45	.40	.35
— <i>prunifolia plena</i> . 10 ft. (Double Bridal Wreath)	Sandy loam to silty clay, moist, PH 6.0-7.5, sun-par- tial shade.		
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.50	.45	.40
5 to 6 ft.	.60	.55	.50
— <i>salicifolia</i> . 5 ft. (Willowleaf Spirea)	Sandy to silty clay, dry-moist, PH 6.0-7.5, sun.		
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.50	.45	.40
— <i>thunbergi</i> . 5 ft. (White Flowering Spirea)	Sandy loam to silty clay, moist, PH 6.0-7.5, sun- partial shade.		
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
— <i>trichocarpa</i> . 5 ft. (Korean Spirea)	Sandy loam to silty clay, moist, PH 6.0-7.5, sun-light shade.		
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.50	.45	.40
— <i>vanhoutti</i> . 10 ft. (Single White Flowering)	Sandy loam to silty clay, moist, PH 6.0-7.5, sun- partial shade.		
2 to 3 ft.	.35	.30	.25
3 to 4 ft.	.40	.35	.30
4 to 5 ft.	.50	.45	.40
5 to 6 ft.	.60	.55	.50

STEPHANANDRA

— <i>incisa</i> (<i>flexuosa</i>). 6 ft. (Creamy White)	Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.		
18 to 24 in.	.35	.30	.25
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35

SYMPHORICARPOS

— <i>albus</i> (<i>racemosus</i>) 6 ft. (White Snowberry)	Sandy loam to silty clay, moist, PH 6.0-7.5, sun- partial shade.		
18 to 24 in.	.35	.30	.25
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
— <i>chenaultii</i> . 6 ft. (Improved Coralberry)	Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.		
18 to 24 in.	.35	.30	.25
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

SYMPHORICARPOS — Continued

—mollis. 6 ft. (Spreading Snowberry)	Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.		
18 to 24 in.	.35	.30	.25
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
—orbiculatus (<i>vulgaris</i>). 4 ft. (Coralberry)	Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-shade.		
18 to 24 in.	.35	.30	.25
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35

SYRINGA

—chinensis syn. rothomagensis. 10 ft. (Chinese Lilac)	Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.		
2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.60	.55	.50
4 to 5 ft.	.90	.80	.70
—japonica. 20 ft. (Japanese Tree Lilac)	Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.		
2 to 3 ft.	.70	.60	
—josikaea. 10 ft. (Hungarian Lilac)	Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.		
2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.60	.55	.50
—persica. 10 ft. (Persian Lilacs)	Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.		
2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.60	.55	.50
4 to 5 ft.	.90	.80	.70
5 to 6 ft.	1.25	1.15	1.00
6 to 8 ft. Spec.	3.00	2.50	
—pekinensis. 15 ft. (Peking Lilac)	Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.		
2 to 3 ft.	.60	.55	.50
3 to 4 ft.	.80	.70	.60
4 to 5 ft.	1.25	1.00	.90
5 to 6 ft.	1.75	1.50	1.25
—villosa. 8 ft. (Late Lilac)	Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.		
2 to 3 ft.	.50	.45	
3 to 4 ft.	.60	.55	
4 to 5 ft.	.80	.70	
—vulgaris alba. 12 ft. (Common White Lilac)	Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.		
2 to 3 ft.	.45	.40	
3 to 4 ft.	.70	.60	
4 to 5 ft.	.80	.70	
5 to 6 ft.	1.25	1.00	
6 to 8 ft.	2.50	2.00	
—vulgaris. 12 ft. (Common Purple Lilac)	Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.		
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.80	.70	.60

		Each 1-4	Each 5-24	Each 25-up
SYRINGA — vulgaris — Continued				
5 to 6 ft.	1.25	1.00	.75	
6 to 7 ft.	1.50	1.25	1.00	
7 to 8 ft. spec. clumps	5.50	5.25	5.00	
8 to 9 ft. spec. clumps	7.00	6.50	6.00	
9 to 10 ft. spec. clumps	10.00	9.00	8.00	
—vulgaris hybrids. 10 ft. following named varieties. Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.				
Belle de Nancy — Double rose				
Chas. Joly — purplish red				
Chas. X — single reddish mauve				
Frau B. Dammann — single white				
Congo — single red				
Georges Bellair — double, light lilac				
J. Calot — rosy pink				
La tour d'Auvergne — double purple				
Marie LeGraye — single white				
Mad. Lemoini — double white				
Mad. Casimir Perier — double creamy white				
Mad. Felix Dykhuis — double white				
Michel Buchner — double pinkish lilac				
Pres. Grevy — double blue				
Souv. de Ludwig Spaeth — single red				
Viviand Morel — double lilac				
18 to 24 in.	.60	.55	.50	
2 to 3 ft.	.80	.70	.60	
3 to 4 ft.	1.00	.90	.80	

TAMARIX

—africana. 12 ft. (Early Light Pink) Light, sandy loam, dry, PH 6.0-7.5, sun.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.50	.45	.40

—gallica. 8 ft. (Blue-green leaves, Pink flowers) Light sandy loam, dry, PH 6.0-7.5, sun.

2 to 3 ft.	.45	.40
3 to 4 ft.	.50	.45

—hispida. 8 ft. (Silvery leaves, Pink flowers) Light sandy loam, dry, PH 6.0-7.5, sun.

2 to 3 ft.	.45	.40
3 to 4 ft.	.50	.45

TAXODIUM

—distichum. 80 ft. (Common Bald Cypress) Medium to heavy loam, wet, PH 5.0-6.5, sun.

6 to 8 ft. B&B	10.00	8.00
8 to 10 ft. B&B	12.00	10.00
10 to 12 ft. B&B	15.00	14.00

TAXUS

—baccata repandens. 2 ft. (Spreading English Yew)
Sandy loam to silty clay, moist, well drained,
PH 6.0-7.5, part shade.

12 to 15 in. B&B	2.25	2.00	1.75
15 to 18 in. B&B	3.00	2.75	2.50
18 to 24 in. B&B	3.50	3.25	3.00
24 to 30 in. B&B	4.50	4.25	4.00
30 to 36 in. B&B	5.50	5.25	5.00

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

TAXUS — Continued

—baccata washingtoni. 8 ft. (Golden Washington Yew)			
Sandy loam to silty clay, moist, well drained, PH 6.0-7.5, partial shade.			
15 to 18 in. B&B	3.00	2.75	2.50
18 to 24 in. B&B	3.50	3.25	3.00
24 to 30 in. B&B	4.50	4.25	4.00
30 to 36 in. B&B Spec.	7.00	6.00	
3 to 4 ft. B&B Spec.	12.00	10.00	
4 to 5 ft. B&B Spec.	20.00	17.50	
—canadensis. 2½ ft. (Canadian Yew)	Sandy to silty		
loam, moist, well drained, PH 5.0-6.5, shade-			
partial shade.			
18 to 24 in. B&B	3.50	3.00	
24 to 30 in. B&B	4.50	4.00	
30 to 36 in. B&B	5.50	5.00	
—cuspidata. 6 ft. (Japanese Spreading Yew)	Sandy		
loam to silty clay, moist, well drained, PH			
5.5-7.5, sun-shade.			
12 to 15 in. B&B	2.25	2.00	1.75
15 to 18 in. B&B	3.00	2.75	2.50
18 to 24 in. B&B	3.50	3.25	3.00
24 to 30 in. B&B	4.50	4.25	4.00
30 to 36 in. B&B	5.50	5.00	
—cuspidata capitata. 12 ft. (Upright Japanese Yew)	Sandy loam to silty clay, moist, well drained,		
PH 5.5-7.5, sun-shade.			
15 to 18 in. B&B	3.00	2.50	2.25
18 to 24 in. B&B	3.50	3.25	3.00
24 to 30 in. B&B	4.50	4.00	
30 to 36 in. B&B	5.50	5.00	
—cuspidata intermedia. 6 ft. sandy loam to silty clay,			
moist, well drained, PH 5.5-7.5, sun-shade.			
12 to 15 in. B&B	2.50	2.25	2.00
15 to 18 in. B&B	3.00	2.75	2.50
18 to 24 in. B&B	4.00	3.50	
—cuspidata Kallay's Vase-shaped sandy loam to silty			
clay, moist, well drained, PH 5.5-7.5, sun-			
shade.			
12 to 15 in. B&B	2.25	2.00	1.75
15 to 18 in. B&B	2.75	2.50	
18 to 24 in. B&B	3.25	3.00	
—cuspidata nana compacta. 3 ft. (Compact Japanese			
Yew) Sandy loam to silty clay, moist, well			
drained, PH 5.5-7.5, sun-shade.			
12 to 15 in. B&B	2.50	2.25	2.00
15 to 18 in. B&B	3.25	3.00	2.75
—cuspidata nana brevifolia. 6 ft. (Dwarf Japanese Yew)	sandy loam to silty clay, moist, well drained.		
PH 5.5-7.5, sun-shade.			
9 to 12 in. B&B	2.00	1.75	1.50
12 to 15 in. B&B	2.50	2.25	2.00
15 to 18 in. B&B	3.25	3.00	2.75
18 to 24 in. B&B	4.00	3.50	

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

TAXUS — Continued

—**cuspidata. nigra.** 5 ft. (Curly leaved Japanese Yew)
Sandy loam to silty clay, moist, well drained,
PH 5.5-7.5. sun or shade.

12 to 15 in. B&B	2.25	2.00	1.75
15 to 18 in. B&B	3.00	2.75	2.50

—**media andersoni.** 8 ft. (Anderson Yew) sandy loam to
silty clay, moist, well drained, PH 5.5-7.5, sun-
shade.

12 to 15 in. B&B	2.25	2.00	1.75
15 to 18 in. B&B	3.00	2.75	2.50
18 to 24 in. B&B	3.50	3.25	3.00
24 to 30 in. B&B	4.50	4.00	

—**media brownii.** 6 ft. (Brown's Yew) sandy loam to
silty clay, moist, well drained, PH 5.5-7.5, sun-
shade.

12 to 15 in. B&B	2.25	2.00	1.75
15 to 18 in. B&B	3.00	2.75	2.50
18 to 24 in. B&B	3.50	3.25	3.00

—**media hatfieldi.** 8 ft. (Hatfield's Yew) sandy loam to
silty clay, moist, well drained, PH 5.5-7.5, sun-
shade.

12 to 15 in. B&B	2.25	2.00	1.75
15 to 18 in. B&B	3.00	2.75	2.50
18 to 24 in. B&B	3.50	3.25	3.00

—**media hicksii.** 10 ft. (Hicks Yew) sandy loam to silty
clay, moist, well drained, PH 5.5-7.5, sun-
shade.

15 to 18 in. B&B	2.75	2.50	2.25
18 to 24 in. B&B	3.50	3.25	3.00
24 to 30 in. B&B	4.50	4.25	4.00
30 to 36 in. B&B	6.00	5.50	5.00
3 to 3½ ft. B&B	7.50	7.00	
3½ to 4 ft. B&B	12.00	10.00	
4 to 5 ft. B&B Spec....	25.00		
5 to 6 ft. B&B Spec....	50.00		

—**media hicksii improved.** 8 ft. (Improved Broad Hicks
Yew) Sandy loam to silty clay, moist, well
drained, PH 5.5-7.5, sun or shade.

12 to 15 in. B&B	2.25	2.00	1.75
15 to 18 in. B&B	3.00	2.75	2.50
18 to 24 in. B&B	3.50	3.25	3.00
24 to 30 in. B&B	4.50	4.25	4.00

THUYA

—**occidentalis.** 40 ft. (American Arborvitae) Silty clay
loam, moist, well drained, PH 6.0-7.5, sun-par-
tial shade.

2 to 2½ ft. B&B	2.00	1.75	1.50
2½ to 3 ft. B&B	2.50	2.25	2.00
3 to 4 ft. B&B	3.00	2.75	2.50
4 to 5 ft. B&B	4.00	3.50	
5 to 6 ft. B&B	5.00	4.50	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

THUYA — Continued

—***occ. columbia***. 40 ft. (Silver Tip Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2 to 2½ ft.	B&B	2.25	2.00	1.75
2½ to 3 ft.	B&B	2.75	2.50	2.25
3 to 4 ft.	B&B	3.25	3.00	2.75
4 to 5 ft.	B&B	4.25	4.00	3.75
5 to 6 ft.	B&B	5.50	5.00	
6 to 7 ft.	B&B	7.00	6.50	

—***occ. compacta***. 4 ft. (Parson's Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12 to 15 in.	B&B	1.25	1.15	1.00
15 to 18 in.	B&B	1.50	1.35	1.25
18 to 24 in.	B&B	1.75	1.65	1.50
24 to 30 in.	B&B	2.50	2.25	2.00
30 to 36 in.	B&B	3.50	3.25	3.00

—***occ. douglasii aurea***. 15 ft. (Douglas Golden Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2 to 2½ ft.	B&B	2.25	2.00	1.75
2½ to 3 ft.	B&B	2.75	2.50	2.25
3 to 4 ft.	B&B	3.25	3.00	2.75
4 to 5 ft.	B&B	4.25	4.00	3.75
5 to 6 ft.	B&B	5.50	5.00	
6 to 7 ft.	B&B	7.00	6.50	
7 to 8 ft.	B&B	8.50	8.00	

—***occ. elegantissima***. 15 ft. (Golden Tip Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2 to 2½ ft.	B&B	2.25	2.00	1.75
2½ to 3 ft.	B&B	2.75	2.50	2.25
3 to 4 ft.	B&B	3.25	3.00	2.75
4 to 5 ft.	B&B	4.25	4.00	3.75
5 to 6 ft.	B&B	5.50	5.00	

—***occ. ellwangeriana***. 6 ft. (Tom Thumb Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

15 to 18 in.	B&B	1.60	1.50	1.35
18 to 24 in.	B&B	2.00	1.75	1.65

—***occ. globosa***. 3 ft. (Globe Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12 to 15 in.	B&B	1.25	1.15	1.00
15 to 18 in.	B&B	1.50	1.35	1.25
18 to 24 in.	B&B	1.75	1.65	1.50
24 to 30 in.	B&B	2.50	2.25	2.00

—***occ. hoveyi***. 6 ft. (Hovey's Golden Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12 to 15 in.	B&B	1.25	1.15	1.00
15 to 18 in.	B&B	1.50	1.35	1.25
18 to 24 in.	B&B	1.75	1.65	1.50
24 to 30 in.	B&B	2.50	2.25	2.00
30 to 36 in.	B&B	3.50	3.25	3.00

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

THUYA — Continued

—occ. ***lutea***. 5 ft. (Geo. Peabody Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2 to 2½ ft.	B&B	2.25	2.00	1.75
2½ to 3 ft.	B&B	2.75	2.50	2.25
3 to 4 ft.	B&B	3.25	3.00	2.75
4 to 5 ft.	B&B	4.25	4.00	
5 to 6 ft.	B&B	5.50	5.00	

—occ. ***nigra***. 20 ft. (Dark Green Arborvitae) Silty clay loam, moist, well drained, PH 6.0-7.5, sun, partial shade.

2 to 2½ ft.	B&B	2.25	2.00	1.75
2½ to 3 ft.	B&B	2.75	2.50	2.25
3 to 4 ft.	B&B	3.25	3.00	2.75

—occ. ***pyramidalis***. 25 ft. (Pyramidal Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

18 to 24 in.	B&B	1.50	1.35	1.25
2 to 2½ ft.	B&B	2.00	1.75	1.50
2½ to 3 ft.	B&B	2.50	2.25	2.00
3 to 4 ft.	B&B	3.00	2.75	2.50
4 to 5 ft.	B&B	4.50	4.00	
5 to 6 ft.	B&B	5.50	5.00	

—occ. ***rosenthali***. 10 ft. (Rosenthal Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

18 to 24 in.	B&B	2.00	1.75	1.50
2 to 2½ ft.	B&B	2.25	2.00	1.75
2½ to 3 ft.	B&B	2.75	2.50	2.25

—occ. ***spiralis*** 25 ft. (Spiral Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2½ to 3 ft.	B&B	2.75	2.50	2.25
3 to 4 ft.	B&B	3.25	3.00	2.75
4 to 5 ft.	B&B	4.25	4.00	3.75
5 to 6 ft.	B&B	5.50	5.00	
6 to 7 ft.	B&B	7.00	6.50	

—occ. ***wareana***. 15 ft. (Siberian Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

15 to 18 in.	B&B	1.50	1.35	1.25
18 to 24 in.	B&B	1.75	1.65	1.50
2 to 2½ ft.	B&B	2.50	2.25	2.00
2½ to 3 ft.	B&B	3.50	3.25	3.00

—occ. ***woodwardi***. 3 ft. (Woodward Globe Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12 to 15 in.	B&B	1.25	1.15	1.00
15 to 18 in.	B&B	1.50	1.35	1.25
18 to 24 in.	B&B	1.75	1.65	1.50
24 to 30 in.	B&B	2.50	2.25	2.00

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

THUYA — Continued

—*orientalis Kallay's Golden*. 10 ft. (Golden Chinese Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2½ to 3 ft. B&B	3.00	2.50
3 to 4 ft. B&B	4.00	3.50
4 to 5 ft. B&B	5.50	5.00
5 to 6 ft. B&B	6.50	6.00

TILIA

—*americana*. 80 ft. (American Linden) rich, medium loam, moist, well drained, PH 6.0-7.5, sun.

6 to 8 ft.	1.50	1.35	1.25
8 to 10 ft.	2.25	2.00	1.75
1½ to 1¾ in.	2.50	2.25	
1¾ to 2 in.	3.25	3.00	2.75
2 to 2½ in.	4.00	3.75	3.50
2½ to 3 in.	6.00	5.50	5.00
3 to 3½ in.	9.00	8.50	8.00
3½ to 4 in.	12.00	11.00	10.00

—*cordata*. 65 ft. (Little Leaf European Linden) rich, medium loam, moist, well drained, PH 6.0-7.5, sun.

6 to 8 ft.	2.00	1.50
8 to 10 ft.	2.50	2.25
1¼ to 1½ in.	3.25	3.00

—*vulgaris*. 70 ft. (Common European Linden) rich, medium loam, moist, well drained, PH 6.0-7.5, sun.

6 to 8 ft.	2.00	1.50
8 to 10 ft.	2.50	2.25
1¼ to 1½ in.	3.25	3.00
1¾ to 2 in.	3.25	3.00
2 to 2½ in.	5.50	5.00
2½ to 3 in.	7.00	6.50

TSUGA

—*caroliniana*. 50 ft. (Carolina Hemlock) good, medium loam, moist, well drained, PH 5.0-6.5, sun-shade.

6 to 7 ft. B&B	14.00	12.00
7 to 8 ft. B&B	20.00	17.50
8 to 10 ft. B&B	30.00	25.00
10 to 12 ft. B&B	35.00	30.00

—*canadensis*. 75 ft. (Canadian Hemlock) good, medium loam, moist, well drained, PH 5.0-6.5, sun-shade.

2 to 2½ ft. B&B	3.00	2.75	2.50
2½ to 3 ft. B&B	4.00	3.75	3.50
3 to 4 ft. B&B	5.00	4.75	4.50
4 to 5 ft. B&B	8.00	7.50	7.00
6 to 7 ft. B&B	11.00	10.00	
7 to 8 ft. B&B	17.50	15.00	
8 to 9 ft. sheared spec. B&B	25.00	20.00	
9 to 10 ft. spreaded spec. B&B	30.00	25.00	

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

ULMUS

—**alata.** 45 ft. (Winged Elm) rich, medium silty clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	2.50	2.00
1½ to 2 in.	4.50	4.00
2 to 2½ in.	6.00	5.50
2½ to 3 in.	7.00	6.50

—**americana.** 80 ft. (American Elm) rich, medium to silty clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	1.25	1.15	1.00
8 to 10 ft.	1.50	1.35	1.25
1¼ to 1½ in.	2.25	2.00	1.75
1½ to 1¾ in.	2.75	2.50	2.25
1¾ to 2 in.	3.50	3.25	3.00
2 to 2½ in.	4.50	4.25	4.00
2½ to 3 in.	6.00	5.75	5.50
3 to 3½ in.	9.00	8.50	8.00
3½ to 4 in.	15.00	14.00	12.00
4 to 5 in.	25.00	22.50	20.00
5 to 6 in., price on request			

—**americana moline.** 80 ft. (Moline Elm) rich, medium to silty clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	1.75	1.50	1.25
8 to 10 ft.	2.00	1.75	1.50
1¼ to 1½ in.	2.50	2.25	2.00
1½ to 1¾ in.	3.00	2.75	2.50
1¾ to 2 in.	3.75	3.50	3.25
2 to 2½ in.	5.00	4.75	4.50
2½ to 3 in.	7.50	7.00	6.50
3 to 3½ in.	12.00	11.00	10.00
3½ to 4 in.	15.00	14.00	

—**americana vase shaped.** 60 ft. (Vase Elm) rich, medium to silty clay, moist, PH 6.0-7.5, sun.

6 to 8 ft.	1.75	1.50	1.25
8 to 10 ft.	2.00	1.75	1.50
1¼ to 1½ in.	2.50	2.25	2.00
1½ to 1¾ in.	3.00	2.75	2.50
1¾ to 2 in.	3.75	3.50	3.25
2 to 2½ in.	5.00	4.75	4.50
2½ to 3 in.	7.50	7.00	6.50
3 to 3½ in.	12.00	11.00	10.00

—**compestris wheatleyi.** 75 ft. (Wheatley Elm) rich, medium silty clay loam, moist, PH 6.0-7.5, sun.

1½ to ¾ in.	5.50	5.25	5.00
1¾ to 2 in.	6.50	6.25	6.00
2 to 2½ in.	9.00	8.00	

—**fulva.** 65 ft. (Slippery Elm) medium loam to silty clay, moist, PH 6.0-7.5, sun.

1½ to 1¾ in.	2.75	2.50
1¾ to 2 in.	3.50	3.25
2 to 2½ in.	4.50	4.00

—**parvifolia.** 30 ft. (Chinese Elm) rich, medium to silty clay loam, moist, PH 6.0-7.5, sun.

1½ to 2 in.	3.50	3.00
2 to 2½ in.	4.50	4.00
2½ to 3 in.	6.00	5.50

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

ULMUS — Continued

—**procera (campestris)** 80 ft. (English Elm) rich, medium to silty clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	1.75	1.65	1.50
8 to 10 ft.	2.50	2.25	2.00
1½ to 1½ in.	3.00	2.75	2.50
1½ to 1¾ in.	3.50	3.25	3.00
1¾ to 2 in.	4.00	3.75	3.50
2 to 2½ in.	6.00	5.50	5.00
2½ to 3 in.	8.00	7.50	7.00
3 to 3½ in.	13.00	12.00	10.00
3½ to 4 in.	20.00	15.00	

—**pumila**. 75 ft. (Asiatic Elm) sandy to silty clay, moist, PH 6.0-7.5, sun.

1½ to 1¾ in.	2.75	2.50	2.25
1¾ to 2 in.	3.00	2.75	2.50
2 to 2½ in.	4.50	4.25	4.00
2½ to 3 in.	6.00	5.50	5.00
3 to 3½ in.	10.00	9.00	8.00
3½ to 4 in.	11.00	10.50	10.00
4 to 5 in.	17.50	15.00	
5 to 6 in., price on request			

VIBURNUM

—**acerifolium**. 5 ft. (Mapleleaf Viburnum) medium loam, dry-moist, PH 4.5-6.5, sun or shade.

3 to 4 ft.	.60	.55	.50
4 to 5 ft.	.80	.70	.60
5 to 6 ft.	1.00	.90	.80

—**burkwoodi**. 4 ft. light to silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	2.50	2.25	2.00
2 to 3 ft. B&B	3.00	2.75	2.50

—**carlesi**. 4 ft. (Fragrant Viburnum) light to silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12 to 15 in. B&B	1.25	1.15	1.00
15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	2.25	2.00	1.75
12 to 15 in. own roots B&B	1.50	1.35	1.25
15 to 18 in. own roots B&B	2.25	2.00	1.75
18 to 24 in. own roots B&B	2.75	2.50	2.25

—**cassinoides**. 6 ft. (White Rod) medium to silty clay loam, moist, PH 6.0-7.5, sun-shade.

18 to 24 in.	.35	.30	.25
2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.60	.55	.50
4 to 5 ft.	.80	.70	.60
5 to 6 ft.	1.00	.80	

—**dentatum**. 12 ft. (Arrowwood) Sandy to silty clay loam, moist, PH 6.0-7.5, sun-shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.60	.50
6 to 8 ft.	1.00	.85	.75

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

VIBURNUM — Continued

—***lantana.*** 15 ft. (Wayfaring Tree) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.

2 to 3 ft.	.40	.35
3 to 4 ft.	.50	.45
4 to 5 ft.	.65	.60
5 to 6 ft.	.85	.75

—***lentago.*** 20 ft (Nannyberry) light loam to silty clay, moist, PH 6.0-7.5, sun-shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.70	.60	.50
5 to 6 ft.	.80	.70	.60
6 to 8 ft.	1.00	.90	.80
8 to 10 ft.	1.25	1.15	1.00

—***molle.*** 10 ft. (Kentucky Viburnum) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60

—***nudum.*** 8 ft. (Smooth White Rod) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.

2 to 3 ft.	.60	.50
3 to 4 ft.	.70	.60

—***opus.*** 10 ft. (Highbush Cranberry) sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.

2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.75	.65	.60

—***opus nanum.*** 2 ft. (Dwarf Cranberry) sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.

6 to 9 in.	.50	.40
9 to 12 in.	.65	.50

—***opus sterile.*** 12 ft. (Common Snowball) sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.

2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.75	.65	.60

—***prunifolium.*** 12 ft. (Blackhaw) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.

5 to 6 ft.	1.75	1.50
6 to 8 ft.	2.50	2.00

—***pubescens.*** 6 ft. (Downy Viburnum) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.

2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.60	.55	.50

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

VIBURNUM — Continued

— <i>seiboldi</i> . 10 ft. (Seibold Viburnum) light loam to silty clay, moist, PH 6.0-7.5, sun-shade.			
2 to 3 ft.....	.60	.50	
3 to 4 ft.....	.75	.60	
— <i>tomentosum</i> . 8 ft. (Doublefile Viburnum) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.			
18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.55	.50	.45
— <i>tomentosum plicatum</i> . 8 ft. (Japanese Snowball) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-partial shade.			
18 to 24 in.....	.50	.45	
2 to 3 ft.....	.75	.65	
— <i>trilobum (americanum)</i> 8 ft. (American Cranberry Bush) medium loam, moist, PH 6.0-7.5, sun or partial shade.			
18 to 24 in.....	.30	.25	.20
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.80	.70	.60
6 to 8 ft.....	1.25	1.15	1.00
— <i>wrighti</i> . 8 ft. (Wright's Viburnum) Light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-partial shade.			
2 to 3 ft.....	.55	.50	
3 to 4 ft.....	.70	.65	.60

VINCA

— <i>minor</i> . 6 in (Periwinkle) Sandy to silty clay loam, moist, PH 6.0-7.5, sun-shade.			
2 year field grown15	.12	.10

VITEX

— <i>agnus castus</i> . 4 ft. (Chaste Tree) Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun-slight shade.			
2 to 3 ft.....	.40	.35	
3 to 4 ft.....	.45	.40	
— <i>latifolia (macrophylla)</i> (Hardy Lilac Chaste Tree). Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun-light shade.			
18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.60	.55	.50

VITIS

— <i>aestivalis</i> . 40 ft. (Summer Grape) Sandy loam to silty clay, moist, PH 5.5-7.5, sun-partial shade.			
2 year No. 1.....	.40	.35	.30

WEIGELA

— <i>abel carriere</i> . 10 ft. Medium loam, moist, well drained, PH 6.0-7.5, sun-shade.			
12 to 18 in.....	.20	.17	.15
18 to 24 in.....	.25	.22	.20
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

WEIGELA — Continued

—amabilis. 8 ft. (Rose Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.			
12 to 18 in.....	.20	.17	.15
18 to 24 in.....	.25	.22	.20
—candida. 10 ft. (White Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.			
12 to 18 in.....	.20	.17	.15
18 to 24 in.....	.25	.22	.20
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40
—desboisi. 10 ft. (Pink Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.			
12 to 18 in.....	.20	.17	.15
18 to 24 in.....	.25	.22	.20
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40
—Eva Rathke. 5 ft. (New, Red Flowering Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.			
12 to 18 in.....	.30	.27	.25
18 to 24 in.....	.45	.40	.35
2 to 3 ft.....	.50	.45	.40
—florida (rosea) 8 ft. (Pink Flowering Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.			
12 to 18 in.....	.20	.17	.15
18 to 24 in.....	.25	.22	.20
2 to 3 ft.....	.40	.35	.30
—floribunda. 8 ft. (Crimson Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-part shade.			
12 to 18 in.....	.30	.27	.25
18 to 24 in.....	.45	.40	.35
2 to 3 ft.....	.50	.45	.40
—hendersoni. 10 ft. (Pink Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.			
12 to 18 in.....	.20	.17	.15
18 to 24 in.....	.25	.22	.20
2 to 3 ft.....	.40	.35	.30
—nana variegata. 5 ft. (Variegated Leaf Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.			
12 to 18 in.....	.25	.22	.20
18 to 24 in.....	.30	.27	.25
2 to 3 ft.....	.45	.40	.35
—vanhoutti. 8 ft. (Rose Pink Weigela) Medium loam moist, well drained, PH 6.0-7.5, sun, partial shade.			
18 to 24 in.....	.25	.22	.20
2 to 3 ft.....	.40	.35	.30

WISTARIA

—multi juga. 30 ft. (Japanese Wistaria) Medium to silty clay loam, moist, well drained, PH 6.0-7.5, sun-slight shade.			
2 year No. 1.....	.50	.40	
3 year No. 1.....	.60	.50	

Each	Each	Each
1-4	5-24	25-up

WISTARIA — Continued

—**sinensis blue.** 40 ft. (Chinese Purple Wistaria) Medium to silty clay loam, moist, well drained, PH 6.0-7.5, sun-shade.

2 year No. 1.....	.50	.40
3 year No. 1.....	.60	.50

—**sinensis white.** 40 ft. (Chinese White Wistaria) Medium to silty clay loam, moist, well drained, PH 6.0-7.5, sun-shade.

2 year No. 1.....	.50	.40
3 year No. 1.....	.60	.50

ZANTHORHIZA

—**apiifolia.** 3 ft. (Yellowroot) Sandy loam to silty clay, dry-moist, PH 5.0-6.5, sun-partial shade.

12 to 15 in.....	.35	.30
15 to 18 in.....	.45	.40
18 to 24 in.....	.60	.50

For schedule of prices on balling and burlapping deciduous trees and shrubs, see page 71.

PEONIES

Strong, 3 to 5 eye divisions

	Each	Each
	1-4	5-24
Baroness Schroeder. Pale pink50	.40
Claire Dubois. Satin Pink40	.35
Dr. Van Der Tag. Crimson50	.45
Duchess de Nemours. Pure white35	.30
Edulis Superba. Mauve pink40	.35
Felix Crousse. Ruby red40	.35
Festiva Maxima. White40	.35
Gigantea. Rose pink35	.30
Karl Rosenfeld. Red40	.35
Lady Alexander Duff. Pink40	.35
La France. Rose pink35	.30
Livingston. Light pink40	
Longfellow. Bright crimson40	.35
Mad. Emile Galie. Pink35	.30
Mad. Emile Lemoine. white35	.30
Mad. Jules Dessert. Shell pink40	.35
Marie Crousse. Salmon pink35	.30
Margaret Atwood. (Jap) white40	.35
Mons Jules Elie. Early pink45	.40
Mons Martin Cohuzac. Deep maroon45	.40
Richard Carvel. Bright crimson40	.35
Sarah Bernhardt. Pink35	.30
Solange. Waxy White50	.45
Souv. de Louis Bigot. Rich pink40	.35
Therese. Pink60	.50
Walter Faxon. Salmon pink60	.50

FRUIT DEPARTMENT

	Each 1-4	Each 5-24
APPLES standard named var. $1\frac{1}{16}$ in...	1.00	.85
CHERRIES (sour)		
standard named var. $1\frac{1}{16}$ in.	1.50	1.45
CHERRIES (sweet)		
standard named var. $1\frac{1}{16}$	1.75	1.50
PEACHES		
standard named var. $\frac{5}{16}$ in. up	.75	.65
PEARS standard named var. $1\frac{1}{16}$ in....	1.25	1.10
PLUMS standard named var. $1\frac{1}{16}$ in. .	1.25	1.00
APRICOTS Hungary's best $\frac{5}{16}$ in. up ..	1.25	1.00

SMALL FRUIT

GRAPES —

Campbell's Early , 2 yr., No. 125	.20
Catawba , 2 yr., No. 125	.20
Concord , 2 yr., No. 118	.15
Delaware , 2 yr., No. 125	.20
Diamond , 2 yr., No. 125	.20
Moore's Early , 2 yr., No. 125	.20
Niagara , 2 yr., No. 125	.20

Lining Out Stock

P Indicates from 2½ in pots

T Indicates once transplanted

TT Indicates twice transplanted

				per 100	per 1000
AZALEA					
<i>mollis</i>	T	4 to 6 in.	.18	.16	
<i>mollis</i>	TT	6 to 10 in.	.27	.25	
<i>mollis</i>	TT	10 to 12 in.	.40	.35	
CHAMAECYPARIS					
<i>pisifera aurea</i>	P	6 to 8 in.	.18		
<i>p. filifera aurea</i>	P	6 to 8 in.	.18	.16	
<i>p. plumosa aurea</i>	P	6 to 8 in.	.18	.16	
<i>p. plumosa aurea</i>	TT	9 to 12 in.	.22	.20	
BUXUS					
<i>semperfirens</i>	TT	6 to 8 in.	.25	.22	
ILEX					
<i>glabra</i>	TT	12 to 15 in.	.35	.32	
PHILADELPHUS					
<i>virginal</i>	P	6 to 8 in.	.16	.14	
TAXUS					
<i>Adamsci</i>	P	8 to 10 in.	.25	.22	
<i>bac. repandens</i>	P	6 to 8 in.	.25	.22	
<i>bac. repandens</i>	TT	8 to 12 in.	.35	.32	
<i>bac. washingtoni</i>	P	6 to 8 in.	.25	.22	
<i>cuspidata</i>	P	8 to 10 in.	.22	.20	
<i>cuspidata</i>	TT	8 to 12 in.	.35	.32	
<i>cusp. capitata</i>	P	8 to 10 in.	.22	.20	
<i>cusp. capitata</i>	TT	8 to 12 in.	.35	.32	
<i>cusp. capitata</i>	TT	12 to 15 in.	.40	.37	
<i>cusp. intermedia</i>	P	8 to 10 in.	.25	.22	
<i>cusp. Kallay's vase</i>	P	6 to 8 in.	.25	.22	
<i>cusp. Nana brevifolia</i>	P	6 to 8 in.	.25	.22	
<i>media andersoni</i>	P	8 to 10 in.	.25	.22	
<i>media andersoni</i>	TT	8 to 10 in.	.35	.32	
<i>media browni</i>	P	6 to 8 in.	.25	.22	
<i>media browni</i>	T	6 to 8 in.	.30	.27	
<i>media hatfieldi</i>	P	8 to 10 in.	.25	.22	
<i>media hicksi</i>	P	8 to 10 in.	.22	.20	
<i>media hicksi</i>	TT	9 to 12 in.	.32	.30	
<i>media hicksi imp'd</i>	P	6 to 8 in.	.25	.20	
THUYA					
<i>occ. nigra</i>	P	8 to 10 in.	.20	.18	
<i>occ. compacta</i>	P	6 to 8 in.	.18	.16	
<i>occ. elegantissima</i>	P	6 to 8 in.	.18	.16	
<i>occ. globosa</i>	P	6 to 8 in.	.18	.16	
<i>occ. hoveyi</i>	P	6 to 8 in.	.18	.16	
<i>occ. pyramidalis</i>	P	8 to 10 in.	.18	.16	
<i>occ. wareana</i>	T	6 to 8 in.	.18	.16	
<i>occ. woodwardi</i>	P	6 to 8 in.	.18	.16	
<i>occ. woodwardi</i>	T	6 to 8 in.	.22	.20	

BERRY-BEARING TREES AND SHRUBS

For late fall and winter effect; also attractive to birds.

TREES

Cornus florida—red
Corylus americana—brown
Corylus avellana—brown
Crataegus in variety—red

Malus in variety—red
Morus alba—white
Nyssa sylvatica—black
Sorbus aucuparia—red

DECIDUOUS SHRUBS

Amelanchier canadensis—purple
Amelanchier stolonifera—purple
Aronia arbutifolia—red
Aronia melanocarpa—black
Berberis in variety—red
Benzoin aestivale—red
Chionanthus virginica—blue
Cornus alternifolia—black
Cornus alba sibirica—white
Cornus amomum—blue
Cornus mas—red
Cornus paniculata—white
Cornus stolonifera—black
Cotoneaster in variety—red
Euonymus alatus—red
Euonymus americana—red
Euonymus europaeus—orange
Euonymus yedoensis—orange
Ilex verticillata—red
Ligustrum amurense—black
Ligustrum ibota—black
Ligustrum ibota reelianum —
 black

Ligustrum vulgare—black
Lonicera in variety—red
Myrica carolinensis—gray
Photinia villosa—red
Rhamnus catharticus—black
Rhamnus frangula—black
Rhus canadensis—red
Sambucus canadensis—black
Sambucus nigra—black
Sambucus pubens—scarlet
Symphoricarpos racemosus—
 white
Symphoricarpos vulgaris—red
Symphoricarpos V. Chenaultii—
 black
Viburnum acerifolium—black
Viburnum americanum—red
Viburnum cassinoides—red
Viburnum dentatum—black
Viburnum lantana—black
Viburnum opulus—red
Viburnum Wrighti—red

Specially attractive to birds on which they feed, and bird lovers should by all means include the following varieties in their plantings:

Amelanchier in variety
Aronia in variety
Benzoin aestivate
Chionanthus virginica
Cornus in variety
Cotoneaster in variety
Crataegus in variety
Ligustrum in variety

Lonicera in variety
Malus in variety
Myrica carolinensis
Prunus in variety
Rhus in variety
Rosa in variety
Symphoricarpos in variety
Viburnum in variety

SCHEDULE OF B. & B. PRICES

The following is a schedule of prices for balling and burlapping deciduous trees and shrubs of various grades which are listed with bare roots. Items listed B. & B., price of balling is included in the list price.

Unless instructed to the contrary, the following size balls, will be supplied. If larger or smaller balls are required prices will be adjusted accordingly.

SHRUBS AND FLOWERING TREES

Ball Size	Lbs		1-5	5-25
		Each	Each	
10 in.	30	1½ to 2 ft.	\$.50	\$.40
12 in.	45	2 to 3 ft.	.65	.55
13 in.	55	3 to 4 ft.	.75	.65
15 in.	85	4 to 5 ft.	1.15	1.00
16 in.	105	5 to 6 ft.	1.50	1.35
18 in.	150	6 to 7 ft.	2.50	2.25
20 in.	200	7 to 8 ft.	3.50	3.00
22 in.	260	8 to 10 ft.	5.00	4.50

SHADE TREES

20 in.	200	1¼ to 1½ in.	\$ 3.50	\$ 3.25
22 in.	260	1½ to 1¾ in.	5.00	4.50
24 in.	325	1¾ to 2 in.	6.00	5.50
28 in.	400	2 to 2½ in.	8.00	7.00
30 in.	650	2½ to 3 in.	10.00	9.00
36 in.	1025	3 to 4 in.	16.00	15.00
42 in.	1600	4 to 5 in.	22.00	20.00
48 in.	2500	5 to 5½ in.	30.00	25.00
54 in.	3500	5½ to 6 in.	40.00	35.00
60 in.	4600	6 to 7 in.	50.00	45.00

Due to labor shortage, balling prices herein quoted are subject to change without notice.

BOXING CHARGES

30x30 in.	\$.70 per foot
28x28 in.65 per foot
24x24 in.60 per foot
20x20 in.55 per foot
16x16 in.45 per foot
14x14 in.35 per foot
12x12 in.32 per foot

BALES

35 cents to \$4.00 depending on size

The weight of balls as above indicated are approximate, price quoted includes loading on your truck. In case of car loading of balls larger than 24" balls, an additional charge will be made to cover cost of labor and material used.

NOTES

